

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AArch64 rev 2 (aarch64)</u>	2,274	2430	NA
<u>AArch64 rev 4 (aarch64)</u>	1,872	2662	NA
<u>AC8257V/WAB</u>	711	3634	NA
<u>Allwinner A133</u>	686	3668	NA
<u>Allwinner A527</u>	2,297	2420	NA
<u>Allwinner H618</u>	631	3729	NA
<u>AMD 3015Ce</u>	2,066	2542	NA
<u>AMD 3015e</u>	2,689	2210	NA
<u>AMD 3020e</u>	2,455	2317	NA
<u>AMD 4700S</u>	18,063	527	NA
<u>AMD A4 Micro-6400T APU</u>	1,004	3327	NA
<u>AMD A4 PRO-3340B</u>	1,645	2801	NA
<u>AMD A4 PRO-7300B APU</u>	1,481	2920	NA
<u>AMD A4 PRO-7350B</u>	1,544	2873	NA
<u>AMD A4-1200 APU</u>	369	4010	NA
<u>AMD A4-1250 APU</u>	411	3960	NA
<u>AMD A4-3300 APU</u>	967	3367	17.07
<u>AMD A4-3300M APU</u>	711	3635	23.71
<u>AMD A4-3305M APU</u>	718	3627	34.50
<u>AMD A4-3310MX APU</u>	782	3554	NA
<u>AMD A4-3320M APU</u>	640	3721	16.42
<u>AMD A4-3330MX APU</u>	752	3586	NA
<u>AMD A4-3400 APU</u>	1,078	3249	13.49
<u>AMD A4-3420 APU</u>	1,054	3277	7.75
<u>AMD A4-4000 APU</u>	1,166	3163	58.47
<u>AMD A4-4020 APU</u>	1,295	3043	12.29

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD A4-6300B APU</u>	1,328	3020	47.51
<u>AMD A4-6320 APU</u>	1,530	2882	21.86
<u>AMD A4-7210 APU</u>	1,674	2779	NA
<u>AMD A4-7300 APU</u>	1,533	2880	83.01
<u>AMD A4-9120</u>	1,223	3109	NA
<u>AMD A4-9120C</u>	825	3502	NA
<u>AMD A4-9120e</u>	835	3493	NA
<u>AMD A4-9125</u>	1,213	3122	NA
<u>AMD A6 Micro-6500T APU</u>	1,146	3183	NA
<u>AMD A6 PRO-7050B APU</u>	1,009	3321	NA
<u>AMD A6 PRO-7400B</u>	1,654	2794	NA
<u>AMD A6-1450 APU</u>	1,045	3285	NA
<u>AMD A6-3400M APU</u>	1,200	3131	49.07
<u>AMD A6-3410MX APU</u>	1,254	3082	314.19
<u>AMD A6-3420M APU</u>	1,287	3052	NA
<u>AMD A6-3430MX APU</u>	1,448	2940	NA
<u>AMD A6-3500 APU</u>	1,371	2997	18.30
<u>AMD A6-3600 APU</u>	1,645	2800	65.94
<u>AMD A6-3620 APU</u>	1,844	2679	81.98
<u>AMD A6-3650 APU</u>	2,015	2570	15.74
<u>AMD A6-3670 APU</u>	2,155	2503	39.22
<u>AMD A6-4400M APU</u>	1,002	3330	37.13
<u>AMD A6-4455M APU</u>	785	3551	NA
<u>AMD A6-5200 APU</u>	1,657	2790	NA
<u>AMD A6-5345M APU</u>	1,122	3204	NA
<u>AMD A6-5350M APU</u>	1,157	3171	34.94

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD A6-7470K</u>	1,799	2705	20.22
<u>AMD A6-7480</u>	1,827	2684	52.47
<u>AMD A6-8500P</u>	1,445	2942	NA
<u>AMD A6-8550</u>	1,604	2824	NA
<u>AMD A6-9200</u>	1,102	3226	NA
<u>AMD A6-9210</u>	1,220	3112	NA
<u>AMD A6-9220</u>	1,265	3073	NA
<u>AMD A6-9220C</u>	1,072	3254	NA
<u>AMD A6-9220e</u>	1,000	3334	NA
<u>AMD A6-9225</u>	1,324	3024	NA
<u>AMD A6-9230</u>	1,303	3039	NA
<u>AMD A6-9400</u>	2,717	2199	NA
<u>AMD A6-9500</u>	1,874	2661	20.84
<u>AMD A6-9500E</u>	1,717	2757	29.94
<u>AMD A8 PRO-7150B APU</u>	1,536	2877	NA
<u>AMD A8 PRO-7600B APU</u>	2,907	2134	NA
<u>AMD A8-3500M APU</u>	1,445	2943	24.10
<u>AMD A8-3510MX APU</u>	1,605	2822	20.82
<u>AMD A8-3520M APU</u>	1,438	2948	26.15
<u>AMD A8-3530MX APU</u>	1,572	2846	NA
<u>AMD A8-3550MX APU</u>	1,579	2841	NA
<u>AMD A8-3800 APU</u>	1,987	2585	18.07
<u>AMD A8-3820 APU</u>	2,164	2495	48.15
<u>AMD A8-3850 APU</u>	2,348	2383	34.52
<u>AMD A8-3870K APU</u>	2,305	2414	33.88
<u>AMD A8-4500M APU</u>	1,685	2777	29.98

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD A8-6600K APU</u>	2,998	2091	156.21
<u>AMD A8-7050</u>	1,094	3232	NA
<u>AMD A8-7100 APU</u>	1,641	2802	NA
<u>AMD A8-7200P</u>	2,154	2504	NA
<u>AMD A8-7410 APU</u>	1,815	2695	NA
<u>AMD A8-7500</u>	3,640	1856	NA
<u>AMD A8-7600 APU</u>	3,216	2000	150.29
<u>AMD A8-7650K</u>	3,104	2043	81.71
<u>AMD A8-7670K</u>	3,182	2017	40.02
<u>AMD A8-7680</u>	3,548	1877	96.61
<u>AMD A8-7690K</u>	2,157	2500	NA
<u>AMD A8-8600P</u>	2,240	2451	NA
<u>AMD A8-8650</u>	2,996	2093	NA
<u>AMD A8-9600</u>	3,299	1968	29.33
<u>AMD A9-9400</u>	1,343	3012	NA
<u>AMD A9-9410</u>	1,514	2900	NA
<u>AMD A9-9420</u>	1,506	2903	NA
<u>AMD A9-9420e</u>	1,124	3200	NA
<u>AMD A9-9425</u>	1,507	2902	NA
<u>AMD A9-9430</u>	1,646	2799	NA
<u>AMD A9-9820</u>	3,870	1786	NA
<u>AMD A10 Micro-6700T APU</u>	1,426	2955	NA
<u>AMD A10 PRO-7350B APU</u>	1,937	2615	NA
<u>AMD A10 PRO-7800B APU</u>	3,410	1920	NA
<u>AMD A10 PRO-7850B APU</u>	3,420	1917	23.11
<u>AMD A10-4600M APU</u>	1,926	2622	32.64

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD A10-6800B APU</u>	3,088	2049	24.12
<u>AMD A10-6800K APU</u>	3,193	2009	67.18
<u>AMD A10-7300 APU</u>	1,725	2753	NA
<u>AMD A10-7400P</u>	2,126	2514	NA
<u>AMD A10-7700K APU</u>	3,200	2007	136.69
<u>AMD A10-7800 APU</u>	3,197	2008	60.73
<u>AMD A10-7850K APU</u>	3,416	1918	61.00
<u>AMD A10-7860K</u>	3,274	1978	61.55
<u>AMD A10-7870K</u>	3,409	1921	6.59
<u>AMD A10-7890K</u>	3,492	1892	25.59
<u>AMD A10-8700P</u>	2,219	2466	NA
<u>AMD A10-8750</u>	3,184	2016	NA
<u>AMD A10-8850</u>	3,438	1911	NA
<u>AMD A10-9600P</u>	2,309	2408	NA
<u>AMD A10-9620P</u>	2,605	2244	NA
<u>AMD A10-9630P</u>	2,929	2126	NA
<u>AMD A10-9700</u>	3,526	1884	40.05
<u>AMD A10-9700E</u>	3,047	2068	34.20
<u>AMD A12-9700P</u>	2,441	2326	NA
<u>AMD A12-9720P</u>	2,638	2233	NA
<u>AMD A12-9730P</u>	3,216	1999	NA
<u>AMD A12-9800</u>	3,529	1883	40.25
<u>AMD A12-9800E</u>	3,447	1907	5.14
<u>AMD Athlon64 X2 Dual Core 4600+</u>	803	3531	NA
<u>AMD Athlon 64 2000+</u>	154	4315	NA
<u>AMD Athlon 64 2600+</u>	243	4178	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon 64 FX-57</u>	517	3857	NA
<u>AMD Athlon 64 FX-59</u>	465	3909	NA
<u>AMD Athlon 64 FX-60 Dual Core</u>	709	3638	NA
<u>AMD Athlon 64 FX-62 Dual Core</u>	943	3394	3.77
<u>AMD Athlon 64 FX-74</u>	972	3361	1.95
<u>AMD Athlon 64 X2 3800+</u>	566	3805	NA
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	3844	NA
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	610	3748	8.94
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	630	3731	NA
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	668	3693	NA
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	689	3665	6.27
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	666	3695	2.23
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	710	3636	2.03
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	679	3676	4.53
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	781	3556	2.36
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	843	3482	14.05
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	907	3422	17.11
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	921	3414	8.59
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	797	3537	26.60
<u>AMD Athlon 64 X2 Dual Core 6000+</u>	940	3397	24.42
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	998	3336	3.99
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	3767	NA
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	573	3796	NA
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	577	3793	NA
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	535	3840	NA
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	518	3855	7.13

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon 300U</u>	3,933	1773	NA
<u>AMD Athlon 320GE</u>	4,301	1680	NA
<u>AMD Athlon 1500+</u>	191	4261	NA
<u>AMD Athlon 1640B</u>	412	3959	8.23
<u>AMD Athlon 2650e</u>	274	4135	14.43
<u>AMD Athlon 2800+</u>	291	4114	2.65
<u>AMD Athlon 2850e</u>	333	4057	NA
<u>AMD Athlon 3000G</u>	4,490	1638	49.90
<u>AMD Athlon 5000 Dual-Core</u>	872	3450	7.94
<u>AMD Athlon 5150 APU</u>	1,379	2988	13.95
<u>AMD Athlon 5200 Dual-Core</u>	869	3455	4.58
<u>AMD Athlon 5350 APU</u>	1,765	2732	11.94
<u>AMD Athlon 5370 APU</u>	1,867	2664	3.12
<u>AMD Athlon 7450 Dual-Core</u>	789	3546	NA
<u>AMD Athlon 7550 Dual-Core</u>	900	3426	60.23
<u>AMD Athlon 7750 Dual-Core</u>	968	3366	12.10
<u>AMD Athlon 7850 Dual-Core</u>	1,058	3269	10.59
<u>AMD Athlon Dual Core 4050e</u>	674	3682	NA
<u>AMD Athlon Dual Core 4450B</u>	719	3626	23.18
<u>AMD Athlon Dual Core 4450e</u>	705	3642	48.71
<u>AMD Athlon Dual Core 4850B</u>	727	3617	NA
<u>AMD Athlon Dual Core 4850e</u>	783	3553	20.06
<u>AMD Athlon Dual Core 5000B</u>	856	3467	9.02
<u>AMD Athlon Dual Core 5050e</u>	809	3518	13.48
<u>AMD Athlon Dual Core 5200B</u>	823	3503	NA
<u>AMD Athlon Dual Core 5400B</u>	977	3355	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon II Dual-Core M320</u>	726	3619	24.21
<u>AMD Athlon II Dual-Core M340</u>	807	3520	NA
<u>AMD Athlon II N330 Dual-Core</u>	665	3697	NA
<u>AMD Athlon II N350 Dual-Core</u>	767	3570	NA
<u>AMD Athlon II N370 Dual-Core</u>	899	3428	NA
<u>AMD Athlon II Neo K125</u>	302	4094	NA
<u>AMD Athlon II Neo K145</u>	298	4101	NA
<u>AMD Athlon II Neo K325 Dual-Core</u>	417	3954	16.04
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	3847	NA
<u>AMD Athlon II Neo N36L Dual-Core</u>	478	3897	NA
<u>AMD Athlon II P320 Dual-Core</u>	700	3652	35.06
<u>AMD Athlon II P340 Dual-Core</u>	691	3660	17.28
<u>AMD Athlon II P360 Dual-Core</u>	734	3610	36.78
<u>AMD Athlon II X2 210e</u>	1,105	3223	38.79
<u>AMD Athlon II X2 215</u>	962	3371	33.21
<u>AMD Athlon II X2 220</u>	1,032	3294	17.21
<u>AMD Athlon II X2 235e</u>	1,095	3231	11.23
<u>AMD Athlon II X2 240</u>	1,017	3307	40.78
<u>AMD Athlon II X2 240e</u>	1,002	3331	26.45
<u>AMD Athlon II X2 245</u>	1,068	3261	26.79
<u>AMD Athlon II X2 245e</u>	1,131	3197	56.63
<u>AMD Athlon II X2 250</u>	1,123	3201	28.84
<u>AMD Athlon II X2 250e</u>	1,155	3173	15.05
<u>AMD Athlon II X2 250u</u>	592	3772	23.71
<u>AMD Athlon II X2 255</u>	1,185	3146	94.41
<u>AMD Athlon II X2 260</u>	1,134	3196	90.81

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon II X2 B28</u>	1,274	3064	32.65
<u>AMD Athlon II X3 400e</u>	1,320	3028	51.80
<u>AMD Athlon II X3 405e</u>	1,331	3018	11.79
<u>AMD Athlon II X3 415e</u>	1,441	2947	19.21
<u>AMD Athlon II X3 420e</u>	1,557	2856	13.40
<u>AMD Athlon II X3 425</u>	1,551	2863	26.58
<u>AMD Athlon II X3 435</u>	1,687	2773	10.55
<u>AMD Athlon II X3 440</u>	1,728	2750	117.87
<u>AMD Athlon II X3 445</u>	1,816	2693	121.16
<u>AMD Athlon II X3 450</u>	1,799	2706	120.73
<u>AMD Athlon II X3 455</u>	1,849	2674	71.79
<u>AMD Athlon II X3 460</u>	1,985	2588	119.26
<u>AMD Athlon II X4 553</u>	2,418	2340	NA
<u>AMD Athlon II X4 555</u>	2,439	2327	NA
<u>AMD Athlon II X4 557</u>	2,567	2268	NA
<u>AMD Athlon II X4 559</u>	2,602	2245	NA
<u>AMD Athlon II X4 600e</u>	1,711	2760	86.19
<u>AMD Athlon II X4 605e</u>	1,957	2603	130.48
<u>AMD Athlon II X4 610e</u>	1,882	2658	113.37
<u>AMD Athlon II X4 615e</u>	2,000	2578	33.90
<u>AMD Athlon II X4 620</u>	1,988	2583	36.18
<u>AMD Athlon II X4 630</u>	2,134	2510	44.43
<u>AMD Athlon II X4 631 Quad-Core</u>	2,136	2509	173.50
<u>AMD Athlon II X4 635</u>	2,201	2475	128.65
<u>AMD Athlon II X4 638 Quad-Core</u>	2,250	2445	35.79
<u>AMD Athlon II X4 640</u>	2,220	2465	194.93

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456	3917	NA
<u>AMD Athlon Neo X2 Dual Core L325</u>	476	3899	NA
<u>AMD Athlon Neo X2 Dual Core L335</u>	529	3846	NA
<u>AMD Athlon PRO 200GE</u>	4,139	1722	NA
<u>AMD Athlon PRO 300GE</u>	4,432	1649	NA
<u>AMD Athlon PRO 300U</u>	4,080	1738	NA
<u>AMD Athlon PRO 3045B</u>	1,487	2917	NA
<u>AMD Athlon Silver 3050e</u>	3,038	2076	NA
<u>AMD Athlon Silver 3050GE</u>	4,545	1627	NA
<u>AMD Athlon Silver 3050U</u>	2,998	2090	NA
<u>AMD Athlon Silver 7120U</u>	2,558	2270	NA
<u>AMD Athlon Silver PRO 3125GE</u>	4,633	1610	NA
<u>AMD Athlon TF-20</u>	265	4152	NA
<u>AMD Athlon TF-36</u>	338	4044	NA
<u>AMD Athlon X2 215</u>	996	3338	NA
<u>AMD Athlon X2 240</u>	921	3413	NA
<u>AMD Athlon X2 240e</u>	1,015	3313	NA
<u>AMD Athlon X2 250</u>	855	3471	NA
<u>AMD Athlon X2 255</u>	938	3399	NA
<u>AMD Athlon X2 280</u>	1,327	3021	39.63
<u>AMD Athlon X2 340 Dual Core</u>	1,301	3041	13.70
<u>AMD Athlon X2 370K Dual Core</u>	1,504	2905	NA
<u>AMD Athlon X2 450</u>	1,295	3046	NA
<u>AMD Athlon X2 Dual Core 3250e</u>	357	4020	NA
<u>AMD Athlon X2 Dual Core 6850e</u>	564	3809	NA
<u>AMD Athlon X2 Dual Core BE-2300</u>	570	3799	6.34

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Athlon X4 730</u>	2,278	2427	NA
<u>AMD Athlon X4 740 Quad Core</u>	2,670	2219	267.00
<u>AMD Athlon X4 750 Quad Core</u>	2,459	2314	25.95
<u>AMD Athlon X4 750K Quad Core</u>	2,828	2156	14.85
<u>AMD Athlon X4 760K Quad Core</u>	2,939	2119	193.33
<u>AMD Athlon X4 830</u>	2,901	2136	14.34
<u>AMD Athlon X4 840</u>	3,305	1963	26.45
<u>AMD Athlon X4 845</u>	3,801	1808	107.26
<u>AMD Athlon X4 850</u>	3,366	1943	NA
<u>AMD Athlon X4 860K</u>	3,429	1913	167.25
<u>AMD Athlon X4 870K</u>	3,392	1930	99.19
<u>AMD Athlon X4 880K</u>	3,662	1848	38.70
<u>AMD Athlon X4 950</u>	3,580	1870	137.73
<u>AMD Athlon XP1600+</u>	183	4274	NA
<u>AMD Athlon XP2400+</u>	243	4177	NA
<u>AMD Athlon XP 1500+</u>	167	4295	NA
<u>AMD Athlon XP 1600+</u>	174	4288	NA
<u>AMD Athlon XP 1700+</u>	176	4285	3.44
<u>AMD Athlon XP 1800+</u>	195	4252	3.83
<u>AMD Athlon XP 1900+</u>	203	4238	4.44
<u>AMD Athlon XP 2000+</u>	195	4253	3.31
<u>AMD Athlon XP 2100+</u>	210	4226	3.30
<u>AMD Athlon XP 2200+</u>	214	4224	2.52
<u>AMD Athlon XP 2400+</u>	234	4198	2.93
<u>AMD Athlon XP 2500+</u>	231	4206	NA
<u>AMD Athlon XP 2600+</u>	242	4180	10.52

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD E1 Micro-6200T APU</u>	600	3755	NA
<u>AMD E1-1200 APU</u>	378	4002	NA
<u>AMD E1-1500 APU</u>	402	3972	NA
<u>AMD E1-2100 APU</u>	407	3965	NA
<u>AMD E1-2200 APU</u>	474	3901	NA
<u>AMD E1-2500 APU</u>	602	3752	NA
<u>AMD E1-6010 APU</u>	546	3829	NA
<u>AMD E1-6015 APU</u>	582	3786	NA
<u>AMD E1-6050J APU</u>	1,385	2984	NA
<u>AMD E1-7010 APU</u>	584	3781	NA
<u>AMD E2-1800 APU</u>	438	3929	NA
<u>AMD E2-2000 APU</u>	492	3885	NA
<u>AMD E2-3000 APU</u>	726	3620	NA
<u>AMD E2-3000M APU</u>	674	3685	15.67
<u>AMD E2-3200 APU</u>	953	3387	119.23
<u>AMD E2-3800 APU</u>	1,120	3205	NA
<u>AMD E2-6110 APU</u>	1,084	3244	NA
<u>AMD E2-7015</u>	572	3798	NA
<u>AMD E2-7015 APU</u>	675	3681	NA
<u>AMD E2-7110 APU</u>	1,525	2892	NA
<u>AMD E2-9000</u>	957	3377	NA
<u>AMD E2-9000e</u>	890	3437	NA
<u>AMD E2-9010</u>	991	3342	NA
<u>AMD E2-9030</u>	983	3350	NA
<u>AMD E-240</u>	195	4251	NA
<u>AMD E-300 APU</u>	341	4039	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD EPYC 7B13</u>	77,460	18	NA
<u>AMD EPYC 7D12</u>	41,991	109	NA
<u>AMD EPYC 7F32</u>	23,311	336	9.45
<u>AMD EPYC 7F52</u>	41,023	113	13.23
<u>AMD EPYC 7J13</u>	85,683	11	NA
<u>AMD EPYC 7K62</u>	49,104	73	NA
<u>AMD EPYC 7R12</u>	48,934	75	NA
<u>AMD EPYC 7R32</u>	64,727	33	NA
<u>AMD EPYC 7T83</u>	74,892	21	NA
<u>AMD EPYC 7V13</u>	82,878	15	NA
<u>AMD EPYC 72F3</u>	27,252	256	10.24
<u>AMD EPYC 73F3</u>	46,085	89	11.62
<u>AMD EPYC 74F3</u>	60,577	42	19.88
<u>AMD EPYC 75F3</u>	68,505	28	13.70
<u>AMD EPYC 3101 4-Core</u>	6,050	1361	NA
<u>AMD EPYC 3151</u>	7,660	1095	NA
<u>AMD EPYC 3201</u>	8,545	1010	NA
<u>AMD EPYC 3251</u>	13,988	695	44.40
<u>AMD EPYC 3451</u>	19,532	471	NA
<u>AMD EPYC 7232P</u>	17,017	564	38.89
<u>AMD EPYC 7251</u>	14,935	649	40.15
<u>AMD EPYC 7252</u>	19,411	474	50.83
<u>AMD EPYC 7262</u>	20,795	425	42.69
<u>AMD EPYC 7272</u>	25,568	285	42.68
<u>AMD EPYC 7281</u>	21,981	382	21.98
<u>AMD EPYC 7282</u>	29,284	215	59.16

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD EPYC 7402</u>	47,648	80	31.94
<u>AMD EPYC 7402P</u>	42,899	105	48.27
<u>AMD EPYC 7413</u>	50,223	66	25.14
<u>AMD EPYC 7443</u>	54,870	57	24.59
<u>AMD EPYC 7443P</u>	57,618	49	34.22
<u>AMD EPYC 7451</u>	20,471	435	20.49
<u>AMD EPYC 7452</u>	49,061	74	36.37
<u>AMD EPYC 7453</u>	50,209	67	29.06
<u>AMD EPYC 7501</u>	24,925	299	6.89
<u>AMD EPYC 7502</u>	45,839	93	52.39
<u>AMD EPYC 7502P</u>	49,887	68	29.35
<u>AMD EPYC 7513</u>	59,988	44	21.12
<u>AMD EPYC 7532</u>	54,793	59	27.97
<u>AMD EPYC 7542</u>	56,728	53	43.70
<u>AMD EPYC 7543</u>	56,562	55	15.04
<u>AMD EPYC 7543P</u>	66,608	32	28.34
<u>AMD EPYC 7551</u>	21,600	398	36.74
<u>AMD EPYC 7551P</u>	39,360	123	106.84
<u>AMD EPYC 7571</u>	27,445	251	NA
<u>AMD EPYC 7573X</u>	70,868	25	14.28
<u>AMD EPYC 7601</u>	42,244	107	29.54
<u>AMD EPYC 7642</u>	60,047	43	50.67
<u>AMD EPYC 7643</u>	76,455	19	16.80
<u>AMD EPYC 7662</u>	73,321	23	18.33
<u>AMD EPYC 7702</u>	70,506	26	69.60
<u>AMD EPYC 7702P</u>	62,670	38	33.02

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD EPYC 9474F</u>	104,895	3	NA
<u>AMD EPYC 9534</u>	88,716	9	NA
<u>AMD EPYC 9554P</u>	109,715	2	15.44
<u>AMD EPYC 9654</u>	126,045	1	18.84
<u>AMD EPYC 9654P</u>	94,295	7	8.87
<u>AMD EPYC Embedded 7292P</u>	30,542	196	NA
<u>AMD FirePro A320 APU</u>	2,153	2506	NA
<u>AMD FX-670K Quad-Core</u>	2,980	2100	NA
<u>AMD FX-770K Quad-Core</u>	2,915	2129	NA
<u>AMD FX-870K Quad Core</u>	3,132	2032	NA
<u>AMD FX-4100 Quad-Core</u>	2,592	2251	162.11
<u>AMD FX-4130 Quad-Core</u>	2,657	2227	133.32
<u>AMD FX-4150 Quad-Core</u>	3,327	1952	NA
<u>AMD FX-4170 Quad-Core</u>	3,065	2064	133.53
<u>AMD FX-4200 Quad-Core</u>	3,109	2038	51.86
<u>AMD FX-4300 Quad-Core</u>	2,975	2104	182.27
<u>AMD FX-4320</u>	3,072	2058	NA
<u>AMD FX-4330</u>	3,098	2044	4.22
<u>AMD FX-4350 Quad-Core</u>	3,283	1975	35.68
<u>AMD FX-6100 Six-Core</u>	3,661	1849	131.00
<u>AMD FX-6120 Six-Core</u>	3,861	1788	66.54
<u>AMD FX-6130 Six-Core</u>	4,353	1671	NA
<u>AMD FX-6200 Six-Core</u>	4,072	1741	113.34
<u>AMD FX-6300 Six-Core</u>	4,193	1709	85.77
<u>AMD FX-6330 Six-Core</u>	4,252	1694	NA
<u>AMD FX-6350 Six-Core</u>	4,532	1630	85.79

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD FX-8350 Eight-Core</u>	6,035	1364	54.74
<u>AMD FX-8370 Eight-Core</u>	6,201	1330	31.00
<u>AMD FX-8370E Eight-Core</u>	5,318	1491	211.52
<u>AMD FX-8800P</u>	2,836	2151	NA
<u>AMD FX-9370 Eight-Core</u>	6,059	1358	50.49
<u>AMD FX-9590 Eight-Core</u>	6,753	1238	26.81
<u>AMD FX-9800P</u>	2,534	2280	NA
<u>AMD FX-9830P</u>	3,312	1960	NA
<u>AMD FX-B4150 Quad-Core</u>	3,369	1940	37.57
<u>AMD G-T40E</u>	289	4117	NA
<u>AMD G-T40N</u>	299	4098	NA
<u>AMD G-T40R</u>	120	4357	NA
<u>AMD G-T44R</u>	130	4347	NA
<u>AMD G-T48E</u>	428	3941	NA
<u>AMD G-T52R</u>	177	4283	NA
<u>AMD G-T56E</u>	442	3926	NA
<u>AMD G-T56N</u>	487	3888	NA
<u>AMD Geode NX 2400+</u>	400	3975	NA
<u>AMD GX-210JA SOC</u>	248	4173	NA
<u>AMD GX-212JC SOC</u>	598	3762	NA
<u>AMD GX-217GA SOC</u>	782	3555	NA
<u>AMD GX-218GL SOC</u>	754	3584	NA
<u>AMD GX-222GC SOC</u>	1,044	3286	NA
<u>AMD GX-412HC</u>	1,065	3266	NA
<u>AMD GX-412TC SOC</u>	641	3718	NA
<u>AMD GX-415GA SOC</u>	1,401	2979	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Opteron 170</u>	648	3713	NA
<u>AMD Opteron 175</u>	682	3672	NA
<u>AMD Opteron 180</u>	746	3594	6.22
<u>AMD Opteron 185</u>	695	3655	NA
<u>AMD Opteron 254</u>	451	3923	NA
<u>AMD Opteron 270</u>	736	3607	2.72
<u>AMD Opteron 275</u>	839	3487	5.60
<u>AMD Opteron 280</u>	765	3572	2.89
<u>AMD Opteron 285</u>	956	3378	38.30
<u>AMD Opteron 290</u>	952	3388	7.05
<u>AMD Opteron 1212</u>	593	3769	2.04
<u>AMD Opteron 1212 HE</u>	771	3567	NA
<u>AMD Opteron 1214</u>	696	3653	7.72
<u>AMD Opteron 1214 HE</u>	806	3524	NA
<u>AMD Opteron 1216</u>	781	3557	14.23
<u>AMD Opteron 1216 HE</u>	727	3618	NA
<u>AMD Opteron 1218</u>	910	3418	NA
<u>AMD Opteron 1218 HE</u>	979	3353	NA
<u>AMD Opteron 1220</u>	1,036	3290	NA
<u>AMD Opteron 1222</u>	1,089	3237	NA
<u>AMD Opteron 1352</u>	1,547	2870	11.38
<u>AMD Opteron 1354</u>	1,449	2938	6.09
<u>AMD Opteron 1356</u>	1,703	2763	18.92
<u>AMD Opteron 1381</u>	1,797	2708	NA
<u>AMD Opteron 1385</u>	1,898	2645	42.19
<u>AMD Opteron 1389</u>	2,079	2531	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Opteron 2427</u>	1,995	2581	36.28
<u>AMD Opteron 2431</u>	2,936	2123	117.48
<u>AMD Opteron 2435</u>	3,061	2066	279.52
<u>AMD Opteron 3250 HE</u>	2,061	2545	20.82
<u>AMD Opteron 3260 HE</u>	2,283	2426	NA
<u>AMD Opteron 3280</u>	3,723	1835	51.70
<u>AMD Opteron 3320 EE</u>	1,918	2627	4.35
<u>AMD Opteron 3350 HE</u>	2,825	2158	8.91
<u>AMD Opteron 3365</u>	4,091	1736	NA
<u>AMD Opteron 3380</u>	4,134	1724	5.11
<u>AMD Opteron 4130</u>	2,347	2385	10.21
<u>AMD Opteron 4162 EE</u>	2,058	2546	102.97
<u>AMD Opteron 4170 HE</u>	2,382	2359	7.22
<u>AMD Opteron 4174 HE</u>	2,986	2097	NA
<u>AMD Opteron 4184</u>	2,872	2143	151.24
<u>AMD Opteron 4226</u>	3,400	1926	35.81
<u>AMD Opteron 4274 HE</u>	5,776	1401	75.05
<u>AMD Opteron 4280</u>	4,504	1636	47.41
<u>AMD Opteron 4284</u>	4,665	1603	46.54
<u>AMD Opteron 4332 HE</u>	3,906	1781	7.04
<u>AMD Opteron 4334</u>	3,949	1768	30.39
<u>AMD Opteron 4365 EE</u>	3,485	1895	NA
<u>AMD Opteron 4386</u>	4,378	1667	9.52
<u>AMD Opteron 6128</u>	2,826	2157	10.50
<u>AMD Opteron 6128 HE</u>	2,932	2125	NA
<u>AMD Opteron 6136</u>	3,381	1934	9.69

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Opteron 6281</u>	7,279	1150	NA
<u>AMD Opteron 6282 SE</u>	6,385	1295	8.29
<u>AMD Opteron 6287 SE</u>	6,925	1209	NA
<u>AMD Opteron 6328</u>	5,306	1494	7.42
<u>AMD Opteron 6344</u>	6,069	1354	110.44
<u>AMD Opteron 6348</u>	8,030	1065	7.30
<u>AMD Opteron 6366 HE</u>	5,613	1435	7.28
<u>AMD Opteron 6376</u>	5,572	1438	3.36
<u>AMD Opteron 6378</u>	5,889	1382	5.35
<u>AMD Opteron 6380</u>	6,738	1241	6.16
<u>AMD Opteron 6386 SE</u>	8,320	1031	9.45
<u>AMD Opteron 8439 SE</u>	2,479	2306	0.68
<u>AMD Opteron X2170 APU</u>	1,911	2634	NA
<u>AMD Opteron X3216 APU</u>	1,447	2941	NA
<u>AMD Opteron X3418 APU</u>	3,043	2070	NA
<u>AMD Opteron X3421 APU</u>	3,375	1938	NA
<u>AMD Phenom 8250 Triple-Core</u>	1,114	3214	NA
<u>AMD Phenom 8250e Triple-Core</u>	1,084	3243	23.08
<u>AMD Phenom 8400 Triple-Core</u>	1,147	3182	NA
<u>AMD Phenom 8450 Triple-Core</u>	1,225	3107	61.24
<u>AMD Phenom 8450e Triple-Core</u>	1,225	3105	NA
<u>AMD Phenom 8600 Triple-Core</u>	1,210	3124	22.84
<u>AMD Phenom 8600B Triple-Core</u>	1,461	2929	97.71
<u>AMD Phenom 8650 Triple-Core</u>	1,237	3097	65.10
<u>AMD Phenom 8750 Triple-Core</u>	1,427	2954	NA
<u>AMD Phenom 8750B Triple-Core</u>	1,188	3145	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Phenom 9750 Quad-Core</u>	1,844	2678	38.40
<u>AMD Phenom 9750B Quad-Core</u>	1,520	2895	NA
<u>AMD Phenom 9850 Quad-Core</u>	1,710	2761	13.15
<u>AMD Phenom 9850B Quad-Core</u>	1,946	2612	NA
<u>AMD Phenom 9950 Quad-Core</u>	1,884	2654	9.42
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599	2827	NA
<u>AMD Phenom FX-5200 Quad-Core</u>	1,699	2765	NA
<u>AMD Phenom II N620 Dual-Core</u>	1,014	3315	254.11
<u>AMD Phenom II N640 Dual-Core</u>	965	3368	17.57
<u>AMD Phenom II N660 Dual-Core</u>	1,068	3260	12.00
<u>AMD Phenom II N830 3+1</u>	1,768	2731	NA
<u>AMD Phenom II N830 Triple-Core</u>	1,222	3111	NA
<u>AMD Phenom II N850 Triple-Core</u>	1,253	3083	50.13
<u>AMD Phenom II N870 Triple-Core</u>	1,281	3057	NA
<u>AMD Phenom II N930 Quad-Core</u>	1,584	2837	12.19
<u>AMD Phenom II N950 Quad-Core</u>	1,515	2899	13.45
<u>AMD Phenom II N970 Quad-Core</u>	1,662	2788	11.08
<u>AMD Phenom II P650 Dual-Core</u>	933	3404	26.66
<u>AMD Phenom II P820 Triple-Core</u>	1,068	3263	NA
<u>AMD Phenom II P840 Triple-Core</u>	1,116	3212	NA
<u>AMD Phenom II P860 Triple-Core</u>	1,225	3106	NA
<u>AMD Phenom II P920 Quad-Core</u>	1,006	3325	15.48
<u>AMD Phenom II P940 Quad-Core</u>	1,319	3030	NA
<u>AMD Phenom II P960 Quad-Core</u>	1,386	2983	35.42
<u>AMD Phenom II X2 511</u>	1,265	3072	NA
<u>AMD Phenom II X2 521</u>	1,341	3013	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Phenom II X3 705e</u>	1,222	3110	8.02
<u>AMD Phenom II X3 710</u>	1,551	2862	9.18
<u>AMD Phenom II X3 720</u>	1,554	2857	24.11
<u>AMD Phenom II X3 740</u>	1,424	2959	16.00
<u>AMD Phenom II X3 B73</u>	1,538	2876	20.50
<u>AMD Phenom II X3 B75</u>	1,619	2814	32.41
<u>AMD Phenom II X3 B77</u>	1,844	2680	82.71
<u>AMD Phenom II X4 805</u>	1,931	2619	11.10
<u>AMD Phenom II X4 810</u>	1,914	2631	8.99
<u>AMD Phenom II X4 820</u>	2,065	2544	33.30
<u>AMD Phenom II X4 830</u>	2,102	2523	110.58
<u>AMD Phenom II X4 840</u>	2,372	2363	79.07
<u>AMD Phenom II X4 840T</u>	2,305	2413	39.74
<u>AMD Phenom II X4 850</u>	2,361	2374	36.33
<u>AMD Phenom II X4 900e</u>	1,505	2904	NA
<u>AMD Phenom II X4 905e</u>	2,004	2576	37.11
<u>AMD Phenom II X4 910</u>	1,776	2721	17.76
<u>AMD Phenom II X4 910e</u>	2,072	2537	29.64
<u>AMD Phenom II X4 920</u>	2,162	2497	77.50
<u>AMD Phenom II X4 925</u>	2,240	2450	107.90
<u>AMD Phenom II X4 940</u>	2,285	2423	10.79
<u>AMD Phenom II X4 945</u>	2,363	2370	98.52
<u>AMD Phenom II X4 955</u>	2,483	2304	42.08
<u>AMD Phenom II X4 960T</u>	2,331	2395	118.82
<u>AMD Phenom II X4 965</u>	2,598	2248	35.10
<u>AMD Phenom II X4 970</u>	2,668	2220	62.20

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Phenom II X4 B55</u>	2,517	2290	NA
<u>AMD Phenom II X4 B60</u>	2,546	2276	NA
<u>AMD Phenom II X4 B65</u>	2,690	2209	NA
<u>AMD Phenom II X4 B70</u>	2,303	2417	NA
<u>AMD Phenom II X4 B93</u>	2,159	2499	NA
<u>AMD Phenom II X4 B95</u>	2,381	2360	38.39
<u>AMD Phenom II X4 B97</u>	2,539	2278	31.75
<u>AMD Phenom II X4 B99</u>	2,536	2279	NA
<u>AMD Phenom II X6 1035T</u>	2,962	2107	27.42
<u>AMD Phenom II X6 1045T</u>	3,122	2036	65.05
<u>AMD Phenom II X6 1055T</u>	3,285	1974	95.77
<u>AMD Phenom II X6 1065T</u>	3,370	1939	50.77
<u>AMD Phenom II X6 1075T</u>	3,377	1935	51.92
<u>AMD Phenom II X6 1090T</u>	3,739	1828	53.61
<u>AMD Phenom II X6 1100T</u>	3,814	1805	29.89
<u>AMD Phenom II X6 1405T</u>	3,335	1949	NA
<u>AMD Phenom II X620 Dual-Core</u>	1,262	3076	NA
<u>AMD Phenom II X640 Dual-Core</u>	1,165	3165	NA
<u>AMD Phenom II X920 Quad-Core</u>	1,669	2782	NA
<u>AMD Phenom II X940 Quad-Core</u>	1,797	2707	NA
<u>AMD Phenom X2 Dual-Core GE-5060</u>	1,566	2850	NA
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722	2754	NA
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010	3318	NA
<u>AMD Phenom X2 Dual-Core GP-7730</u>	884	3442	NA
<u>AMD Phenom X3 8550</u>	1,079	3248	36.02
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,297	3042	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD PRO A6-8570</u>	1,908	2635	NA
<u>AMD PRO A6-8570E</u>	1,640	2805	NA
<u>AMD PRO A6-9500</u>	1,770	2726	23.92
<u>AMD PRO A6-9500B</u>	1,371	2998	NA
<u>AMD PRO A6-9500E</u>	1,662	2787	22.46
<u>AMD PRO A8-8600B</u>	2,187	2485	NA
<u>AMD PRO A8-8650B</u>	3,216	1998	NA
<u>AMD PRO A8-8670E</u>	2,989	2095	NA
<u>AMD PRO A8-9600</u>	3,329	1951	27.97
<u>AMD PRO A8-9600B</u>	2,385	2358	NA
<u>AMD PRO A10-8700B</u>	2,273	2431	NA
<u>AMD PRO A10-8730B</u>	2,419	2337	NA
<u>AMD PRO A10-8750B</u>	2,727	2193	NA
<u>AMD PRO A10-8770</u>	3,533	1881	NA
<u>AMD PRO A10-8770E</u>	3,012	2083	NA
<u>AMD PRO A10-8850B</u>	3,752	1822	NA
<u>AMD PRO A10-9700</u>	3,653	1852	21.62
<u>AMD PRO A10-9700B</u>	2,585	2257	NA
<u>AMD PRO A10-9700E</u>	3,028	2077	21.79
<u>AMD PRO A12-8800B</u>	2,580	2261	NA
<u>AMD PRO A12-8830B</u>	2,590	2253	NA
<u>AMD PRO A12-8870</u>	3,952	1766	NA
<u>AMD PRO A12-8870E</u>	3,070	2060	NA
<u>AMD PRO A12-9800</u>	3,758	1820	22.24
<u>AMD PRO A12-9800B</u>	2,663	2223	NA
<u>AMD PRO A12-9800E</u>	3,172	2020	18.77

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 3 2200GE</u>	6,062	1357	NA
<u>AMD Ryzen 3 2200U</u>	3,687	1843	NA
<u>AMD Ryzen 3 2300U</u>	5,456	1464	NA
<u>AMD Ryzen 3 2300X</u>	7,521	1110	42.23
<u>AMD Ryzen 3 3100</u>	11,637	808	162.42
<u>AMD Ryzen 3 3200G</u>	7,170	1166	93.60
<u>AMD Ryzen 3 3200GE</u>	7,309	1145	NA
<u>AMD Ryzen 3 3200U</u>	3,832	1798	NA
<u>AMD Ryzen 3 3250C</u>	3,208	2004	NA
<u>AMD Ryzen 3 3250U</u>	3,878	1785	NA
<u>AMD Ryzen 3 3300U</u>	5,692	1416	NA
<u>AMD Ryzen 3 3300X</u>	12,680	769	86.47
<u>AMD Ryzen 3 3350U</u>	5,846	1389	NA
<u>AMD Ryzen 3 4100</u>	11,087	832	170.59
<u>AMD Ryzen 3 4300G</u>	10,959	844	88.38
<u>AMD Ryzen 3 4300GE</u>	11,234	825	NA
<u>AMD Ryzen 3 4300U</u>	7,492	1116	NA
<u>AMD Ryzen 3 5300G</u>	12,897	759	NA
<u>AMD Ryzen 3 5300GE</u>	13,321	731	NA
<u>AMD Ryzen 3 5300U</u>	9,732	921	NA
<u>AMD Ryzen 3 5400U</u>	11,540	812	NA
<u>AMD Ryzen 3 5425U</u>	11,571	809	NA
<u>AMD Ryzen 3 7320C</u>	8,386	1027	NA
<u>AMD Ryzen 3 7320U</u>	9,262	955	NA
<u>AMD Ryzen 3 7330U</u>	10,774	853	NA
<u>AMD Ryzen 3 PRO 1200</u>	6,054	1360	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 3 PRO 4350GE</u>	10,987	842	NA
<u>AMD Ryzen 3 PRO 4355GE</u>	10,559	867	NA
<u>AMD Ryzen 3 PRO 4450U</u>	10,092	897	NA
<u>AMD Ryzen 3 PRO 5350G</u>	13,523	721	NA
<u>AMD Ryzen 3 PRO 5350GE</u>	13,460	727	NA
<u>AMD Ryzen 3 PRO 5450U</u>	11,110	830	NA
<u>AMD Ryzen 3 PRO 5475U</u>	11,272	824	NA
<u>AMD Ryzen 3 PRO 7330U</u>	12,846	763	NA
<u>AMD Ryzen 5 1400</u>	7,773	1081	194.56
<u>AMD Ryzen 5 1500X</u>	9,110	969	178.84
<u>AMD Ryzen 5 1600</u>	12,300	780	238.84
<u>AMD Ryzen 5 1600X</u>	13,077	748	94.19
<u>AMD Ryzen 5 2400G</u>	8,736	992	89.73
<u>AMD Ryzen 5 2400GE</u>	7,513	1111	NA
<u>AMD Ryzen 5 2500U</u>	6,508	1271	NA
<u>AMD Ryzen 5 2500X</u>	9,495	936	NA
<u>AMD Ryzen 5 2600</u>	13,224	739	212.36
<u>AMD Ryzen 5 2600H</u>	7,834	1078	NA
<u>AMD Ryzen 5 2600X</u>	13,968	697	180.70
<u>AMD Ryzen 5 3350G</u>	9,048	977	NA
<u>AMD Ryzen 5 3350GE</u>	9,343	947	NA
<u>AMD Ryzen 5 3400G</u>	9,302	950	87.78
<u>AMD Ryzen 5 3400GE</u>	8,901	985	25.04
<u>AMD Ryzen 5 3450U</u>	6,745	1239	NA
<u>AMD Ryzen 5 3500</u>	12,837	764	64.19
<u>AMD Ryzen 5 3500C</u>	5,564	1440	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 5 4600G</u>	15,974	602	156.63
<u>AMD Ryzen 5 4600GE</u>	15,641	617	NA
<u>AMD Ryzen 5 4600H</u>	14,582	665	NA
<u>AMD Ryzen 5 4600HS</u>	14,298	684	NA
<u>AMD Ryzen 5 4600U</u>	13,430	729	NA
<u>AMD Ryzen 5 5500</u>	19,578	466	230.35
<u>AMD Ryzen 5 5500U</u>	13,185	742	NA
<u>AMD Ryzen 5 5560U</u>	15,159	639	NA
<u>AMD Ryzen 5 5600</u>	21,649	394	180.42
<u>AMD Ryzen 5 5600G</u>	19,930	451	163.63
<u>AMD Ryzen 5 5600GE</u>	18,828	494	NA
<u>AMD Ryzen 5 5600H</u>	17,125	559	NA
<u>AMD Ryzen 5 5600U</u>	15,480	626	NA
<u>AMD Ryzen 5 5600X</u>	21,947	384	140.31
<u>AMD Ryzen 5 5600X3D</u>	22,039	381	NA
<u>AMD Ryzen 5 5625U</u>	15,168	638	NA
<u>AMD Ryzen 5 6600H</u>	19,129	482	NA
<u>AMD Ryzen 5 6600HS Creator Edition</u>	18,695	499	NA
<u>AMD Ryzen 5 6600U</u>	17,223	554	NA
<u>AMD Ryzen 5 7520U</u>	9,796	916	NA
<u>AMD Ryzen 5 7530U</u>	16,191	598	NA
<u>AMD Ryzen 5 7535HS</u>	19,321	476	NA
<u>AMD Ryzen 5 7535U</u>	17,123	560	NA
<u>AMD Ryzen 5 7540U</u>	20,083	445	NA
<u>AMD Ryzen 5 7600</u>	27,748	244	126.13
<u>AMD Ryzen 5 7600X</u>	28,849	222	132.34

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 5 PRO 3500U</u>	6,988	1195	NA
<u>AMD Ryzen 5 PRO 3600</u>	17,725	536	NA
<u>AMD Ryzen 5 PRO 4400G</u>	16,354	592	NA
<u>AMD Ryzen 5 PRO 4400GE</u>	14,795	656	NA
<u>AMD Ryzen 5 PRO 4500U</u>	12,117	790	NA
<u>AMD Ryzen 5 PRO 4650G</u>	16,288	594	152.24
<u>AMD Ryzen 5 PRO 4650GE</u>	15,613	622	NA
<u>AMD Ryzen 5 PRO 4650U</u>	12,778	766	NA
<u>AMD Ryzen 5 PRO 4655G</u>	15,276	634	NA
<u>AMD Ryzen 5 PRO 5645</u>	21,904	386	NA
<u>AMD Ryzen 5 PRO 5650G</u>	19,956	450	NA
<u>AMD Ryzen 5 PRO 5650GE</u>	18,472	508	NA
<u>AMD Ryzen 5 PRO 5650U</u>	15,042	645	NA
<u>AMD Ryzen 5 PRO 5675U</u>	14,474	669	NA
<u>AMD Ryzen 5 PRO 6650H</u>	19,907	452	NA
<u>AMD Ryzen 5 PRO 6650U</u>	16,818	571	NA
<u>AMD Ryzen 5 PRO 7530U</u>	16,911	568	NA
<u>AMD Ryzen 5 PRO 7540U</u>	19,967	449	NA
<u>AMD Ryzen 7 1700</u>	14,826	654	169.65
<u>AMD Ryzen 7 1700X</u>	15,665	616	218.67
<u>AMD Ryzen 7 1800X</u>	16,414	589	55.64
<u>AMD Ryzen 7 2700</u>	15,740	614	150.07
<u>AMD Ryzen 7 2700E</u>	14,657	663	NA
<u>AMD Ryzen 7 2700U</u>	6,972	1200	NA
<u>AMD Ryzen 7 2700X</u>	17,573	539	161.52
<u>AMD Ryzen 7 2800H</u>	7,656	1096	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 7 4800HS</u>	18,594	503	NA
<u>AMD Ryzen 7 4800U</u>	16,930	566	NA
<u>AMD Ryzen 7 4850U Mobile</u>	15,920	605	NA
<u>AMD Ryzen 7 4980U Microsoft Surface Edition</u>	17,469	544	NA
<u>AMD Ryzen 7 5700</u>	24,375	312	NA
<u>AMD Ryzen 7 5700G</u>	24,678	305	147.01
<u>AMD Ryzen 7 5700GE</u>	22,196	374	NA
<u>AMD Ryzen 7 5700U</u>	15,831	610	NA
<u>AMD Ryzen 7 5700X</u>	26,813	263	144.95
<u>AMD Ryzen 7 5800</u>	25,875	281	NA
<u>AMD Ryzen 7 5800H</u>	21,216	406	NA
<u>AMD Ryzen 7 5800HS</u>	20,511	434	NA
<u>AMD Ryzen 7 5800HS Creator Edition</u>	21,166	407	NA
<u>AMD Ryzen 7 5800U</u>	18,693	500	NA
<u>AMD Ryzen 7 5800X</u>	28,034	237	124.58
<u>AMD Ryzen 7 5800X3D</u>	28,221	232	97.47
<u>AMD Ryzen 7 5825U</u>	18,475	507	NA
<u>AMD Ryzen 7 6800H</u>	23,805	325	NA
<u>AMD Ryzen 7 6800HS</u>	23,002	350	NA
<u>AMD Ryzen 7 6800HS Creator Edition</u>	22,624	365	NA
<u>AMD Ryzen 7 6800U</u>	20,626	431	NA
<u>AMD Ryzen 7 7700</u>	35,357	143	110.56
<u>AMD Ryzen 7 7700X</u>	36,452	140	115.45
<u>AMD Ryzen 7 7730U</u>	18,939	489	NA
<u>AMD Ryzen 7 7735H</u>	24,427	311	NA
<u>AMD Ryzen 7 7735HS</u>	24,186	314	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 7 PRO 2700X</u>	16,846	570	NA
<u>AMD Ryzen 7 PRO 3700</u>	22,977	351	69.63
<u>AMD Ryzen 7 PRO 3700U</u>	7,345	1141	NA
<u>AMD Ryzen 7 PRO 4700G</u>	20,848	421	NA
<u>AMD Ryzen 7 PRO 4750G</u>	20,552	433	82.55
<u>AMD Ryzen 7 PRO 4750GE</u>	18,491	506	NA
<u>AMD Ryzen 7 PRO 4750U</u>	15,243	635	NA
<u>AMD Ryzen 7 PRO 5750G</u>	24,534	309	NA
<u>AMD Ryzen 7 PRO 5750GE</u>	22,050	379	NA
<u>AMD Ryzen 7 PRO 5845</u>	26,305	271	NA
<u>AMD Ryzen 7 PRO 5850U</u>	17,307	551	NA
<u>AMD Ryzen 7 PRO 5875U</u>	16,748	573	NA
<u>AMD Ryzen 7 PRO 6850H</u>	22,942	353	NA
<u>AMD Ryzen 7 PRO 6850HS</u>	22,044	380	NA
<u>AMD Ryzen 7 PRO 6850U</u>	20,923	417	NA
<u>AMD Ryzen 7 PRO 6860Z</u>	20,994	414	NA
<u>AMD Ryzen 7 PRO 7840HS</u>	24,445	310	NA
<u>AMD Ryzen 9 3900</u>	30,855	191	61.22
<u>AMD Ryzen 9 3900X</u>	32,709	174	150.74
<u>AMD Ryzen 9 3900XT</u>	32,765	173	84.01
<u>AMD Ryzen 9 3950X</u>	38,957	126	84.69
<u>AMD Ryzen 9 4900H</u>	19,313	477	NA
<u>AMD Ryzen 9 4900HS</u>	19,153	481	NA
<u>AMD Ryzen 9 5900</u>	34,522	154	NA
<u>AMD Ryzen 9 5900H</u>	20,960	416	NA
<u>AMD Ryzen 9 5900HS</u>	21,913	385	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen 9 7900X</u>	52,337	62	127.96
<u>AMD Ryzen 9 7900X3D</u>	50,895	65	90.71
<u>AMD Ryzen 9 7940H</u>	31,094	187	NA
<u>AMD Ryzen 9 7940HS</u>	31,102	186	NA
<u>AMD Ryzen 9 7945HX</u>	57,357	51	NA
<u>AMD Ryzen 9 7950X</u>	63,449	34	117.28
<u>AMD Ryzen 9 7950X3D</u>	62,681	37	94.82
<u>AMD Ryzen 9 PRO 3900</u>	31,299	185	NA
<u>AMD Ryzen 9 PRO 5945</u>	34,730	151	NA
<u>AMD Ryzen 9 PRO 6950H</u>	22,570	367	NA
<u>AMD Ryzen 9 PRO 6950HS</u>	23,295	338	NA
<u>AMD Ryzen 9 PRO 7940HS</u>	28,367	228	NA
<u>AMD Ryzen Embedded R1305G</u>	2,980	2099	NA
<u>AMD Ryzen Embedded R1505G</u>	3,903	1782	NA
<u>AMD Ryzen Embedded R1600</u>	3,147	2028	NA
<u>AMD Ryzen Embedded R1606G</u>	4,186	1711	NA
<u>AMD Ryzen Embedded R2312</u>	3,720	1837	NA
<u>AMD Ryzen Embedded R2314</u>	6,584	1255	NA
<u>AMD Ryzen Embedded R2514</u>	6,811	1222	NA
<u>AMD Ryzen Embedded V3C18I</u>	15,541	624	NA
<u>AMD Ryzen Embedded V3C48</u>	18,361	513	NA
<u>AMD Ryzen Embedded V1202B</u>	3,532	1882	NA
<u>AMD Ryzen Embedded V1404I</u>	6,007	1371	NA
<u>AMD Ryzen Embedded V1500B</u>	4,584	1616	NA
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,417	1474	NA
<u>AMD Ryzen Embedded V1605B</u>	6,741	1240	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Ryzen Threadripper 2950X</u>	29,332	214	27.29
<u>AMD Ryzen Threadripper 2970WX</u>	29,843	208	20.74
<u>AMD Ryzen Threadripper 2990WX</u>	32,416	178	16.21
<u>AMD Ryzen Threadripper 2990X</u>	27,606	248	NA
<u>AMD Ryzen Threadripper 3960X</u>	54,858	58	37.20
<u>AMD Ryzen Threadripper 3970X</u>	63,377	35	25.40
<u>AMD Ryzen Threadripper 3990X</u>	81,135	16	16.69
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,503	160	NA
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,381	121	40.76
<u>AMD Ryzen Threadripper PRO 3975WX</u>	62,992	36	21.02
<u>AMD Ryzen Threadripper PRO 3995WX</u>	83,558	13	12.17
<u>AMD Ryzen Threadripper PRO 5945WX</u>	40,824	117	NA
<u>AMD Ryzen Threadripper PRO 5955WX</u>	49,546	69	45.04
<u>AMD Ryzen Threadripper PRO 5965WX</u>	66,640	31	33.32
<u>AMD Ryzen Threadripper PRO 5975WX</u>	76,199	20	28.22
<u>AMD Ryzen Threadripper PRO 5995WX</u>	98,215	5	17.23
<u>AMD Ryzen Z1 Extreme</u>	26,201	276	NA
<u>AMD Sempron 130</u>	501	3873	16.69
<u>AMD Sempron 140</u>	472	3902	39.46
<u>AMD Sempron 145</u>	506	3871	12.66
<u>AMD Sempron 150</u>	597	3764	39.96
<u>AMD Sempron 200U</u>	125	4351	1.43
<u>AMD Sempron 210U</u>	267	4148	NA
<u>AMD Sempron 240</u>	1,278	3061	35.39
<u>AMD Sempron 2200+</u>	184	4273	4.60
<u>AMD Sempron 2300+</u>	207	4233	4.60

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Sempron 3600+</u>	364	4013	24.24
<u>AMD Sempron 3800+</u>	360	4016	24.03
<u>AMD Sempron 3850 APU</u>	1,153	3175	24.23
<u>AMD Sempron Dual Core 2100</u>	533	3842	14.04
<u>AMD Sempron Dual Core 2200</u>	563	3811	14.09
<u>AMD Sempron Dual Core 2300</u>	555	3818	13.22
<u>AMD Sempron LE-1100</u>	315	4076	9.02
<u>AMD Sempron LE-1150</u>	251	4168	16.82
<u>AMD Sempron LE-1200</u>	349	4028	23.32
<u>AMD Sempron LE-1250</u>	301	4096	3.01
<u>AMD Sempron LE-1300</u>	417	3953	15.44
<u>AMD Sempron M100</u>	338	4045	28.15
<u>AMD Sempron M120</u>	247	4174	NA
<u>AMD Sempron SI-40</u>	288	4118	24.02
<u>AMD Sempron SI-42</u>	268	4145	8.93
<u>AMD Sempron X2 180</u>	826	3501	11.90
<u>AMD Sempron X2 190</u>	879	3445	10.53
<u>AMD Sempron X2 198 Dual-Core</u>	930	3408	NA
<u>AMD Turion 64 Mobile MK-36</u>	334	4054	NA
<u>AMD Turion 64 Mobile MK-38</u>	362	4014	NA
<u>AMD Turion 64 Mobile ML-28</u>	254	4162	NA
<u>AMD Turion 64 Mobile ML-30</u>	277	4131	NA
<u>AMD Turion 64 Mobile ML-32</u>	285	4121	NA
<u>AMD Turion 64 Mobile ML-34</u>	277	4132	NA
<u>AMD Turion 64 Mobile ML-37</u>	334	4052	12.86
<u>AMD Turion 64 Mobile ML-40</u>	336	4048	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Turion 64 X2 Mobile TL-62</u>	756	3582	26.06
<u>AMD Turion 64 X2 Mobile TL-64</u>	675	3679	17.14
<u>AMD Turion 64 X2 Mobile TL-66</u>	696	3654	7.82
<u>AMD Turion 64 X2 Mobile TL-68</u>	866	3459	9.62
<u>AMD Turion Dual-Core RM-70</u>	561	3814	22.46
<u>AMD Turion Dual-Core RM-72</u>	649	3712	21.69
<u>AMD Turion Dual-Core RM-74</u>	588	3778	NA
<u>AMD Turion Dual-Core RM-75</u>	659	3701	30.65
<u>AMD Turion II Dual-Core Mobile M500</u>	735	3609	NA
<u>AMD Turion II Dual-Core Mobile M520</u>	843	3481	12.21
<u>AMD Turion II Dual-Core Mobile M540</u>	912	3417	NA
<u>AMD Turion II N530 Dual-Core</u>	855	3470	28.51
<u>AMD Turion II N550 Dual-Core</u>	877	3448	NA
<u>AMD Turion II Neo K625 Dual-Core</u>	565	3807	NA
<u>AMD Turion II Neo K685 Dual-Core</u>	684	3671	NA
<u>AMD Turion II Neo N40L Dual-Core</u>	602	3753	NA
<u>AMD Turion II Neo N54L Dual-Core</u>	844	3478	NA
<u>AMD Turion II P520 Dual-Core</u>	814	3516	NA
<u>AMD Turion II P540 Dual-Core</u>	960	3373	19.21
<u>AMD Turion II P560 Dual-Core</u>	948	3390	NA
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	955	3380	56.97
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814	3514	NA
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,034	3292	NA
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	3316	NA
<u>AMD Turion Neo X2 Dual Core L625</u>	432	3933	NA
<u>AMD Turion X2 Dual Core L510</u>	603	3750	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695	3656	11.39
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689	3664	17.25
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536	3839	NA
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471	3903	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	841	3484	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-87</u>	599	3758	NA
<u>AMD V105</u>	184	4272	NA
<u>AMD V120</u>	352	4026	NA
<u>AMD V140</u>	397	3979	9.94
<u>AMD V160</u>	337	4046	NA
<u>AMD Z-01</u>	305	4091	NA
<u>AMD Z-60 APU</u>	262	4155	NA
<u>Amlogic</u>	592	3771	NA
<u>Apple A8</u>	1,536	2878	NA
<u>Apple A8X</u>	2,360	2375	NA
<u>Apple A9</u>	2,054	2549	NA
<u>Apple A9X</u>	2,508	2292	NA
<u>Apple A11 Bionic</u>	4,371	1669	NA
<u>Apple A12 Bionic</u>	4,887	1568	NA
<u>Apple A12X Bionic</u>	10,942	846	NA
<u>Apple A13 Bionic</u>	5,417	1476	NA
<u>Apple A14 Bionic</u>	8,520	1013	NA
<u>Apple A15 Bionic</u>	10,093	896	NA
<u>Apple M1 8 Core 3200 MHz</u>	14,077	694	NA
<u>Apple M1 Max 10 Core 3200 MHz</u>	22,081	377	NA
<u>Apple M1 Pro 8 Core 3200 MHz</u>	17,168	556	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</u>	399	3978	NA
<u>ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz</u>	2,514	2291	NA
<u>ARM Cortex-A7 2 Core 960 MHz</u>	102	4370	NA
<u>ARM Cortex-A7 2 Core 996 MHz</u>	133	4340	NA
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142	4331	NA
<u>ARM Cortex-A7 4 Core 900 MHz</u>	239	4186	NA
<u>ARM Cortex-A7 4 Core 1008 MHz</u>	269	4142	NA
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270	4138	NA
<u>ARM Cortex-A7 4 Core 1300 MHz</u>	341	4037	NA
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	353	4025	NA
<u>ARM Cortex-A15 4 Core 1400 MHz</u>	1,227	3103	NA
<u>ARM Cortex-A15 4 Core 1500 MHz</u>	1,304	3038	NA
<u>ARM Cortex-A15 4 Core 2000 MHz</u>	923	3412	NA
<u>ARM Cortex-A15 8 Core 1400 MHz</u>	1,160	3168	NA
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	732	3613	NA
<u>ARM Cortex-A35 4 Core 1200 MHz</u>	329	4061	NA
<u>ARM Cortex-A35 4 Core 1296 MHz</u>	334	4053	NA
<u>ARM Cortex-A53 4 Core 600 MHz</u>	220	4218	NA
<u>ARM Cortex-A53 4 Core 1000 MHz</u>	248	4172	NA
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	343	4035	NA
<u>ARM Cortex-A53 4 Core 1199 MHz</u>	410	3962	NA
<u>ARM Cortex-A53 4 Core 1200 MHz</u>	288	4119	NA
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	426	3942	NA
<u>ARM Cortex-A53 4 Core 1333 MHz</u>	207	4231	NA
<u>ARM Cortex-A53 4 Core 1368 MHz</u>	322	4068	NA
<u>ARM Cortex-A53 4 Core 1392 MHz</u>	417	3952	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>ARM Cortex-A55 4 Core 1992 MHz</u>	705	3643	NA
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	694	3657	NA
<u>ARM Cortex-A55 4 Core 2124 MHz</u>	742	3598	NA
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	955	3381	NA
<u>ARM Cortex-A57 4 Core 1734 MHz</u>	1,170	3161	NA
<u>ARM Cortex-A57 4 Core 1912 MHz</u>	1,007	3323	NA
<u>ARM Cortex-A57 4 Core 2014 MHz</u>	1,200	3130	NA
<u>ARM Cortex-A57 4 Core 2091 MHz</u>	1,307	3036	NA
<u>ARM Cortex-A57 8 Core 1500 MHz</u>	1,022	3303	NA
<u>ARM Cortex-A57 8 Core 1766 MHz</u>	3,766	1817	NA
<u>ARM Cortex-A72 4 Core 800 MHz</u>	279	4127	NA
<u>ARM Cortex-A72 4 Core 1200 MHz</u>	174	4289	NA
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	653	3706	NA
<u>ARM Cortex-A72 4 Core 1600 MHz</u>	545	3831	NA
<u>ARM Cortex-A72 4 Core 1700 MHz</u>	574	3795	NA
<u>ARM Cortex-A72 4 Core 1750 MHz</u>	335	4050	NA
<u>ARM Cortex-A72 4 Core 1800 MHz</u>	765	3571	NA
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199	4242	NA
<u>ARM Cortex-A72 4 Core 1900 MHz</u>	805	3525	NA
<u>ARM Cortex-A72 4 Core 2000 MHz</u>	720	3625	NA
<u>ARM Cortex-A72 4 Core 2100 MHz</u>	656	3703	NA
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	807	3521	NA
<u>ARM Cortex-A72 4 Core 2300 MHz</u>	968	3364	NA
<u>ARM Cortex-A72 4 Core 2394 MHz</u>	1,254	3081	NA
<u>ARM Cortex-A72 4 Core 2400 MHz</u>	1,295	3044	NA
<u>ARM Cortex-A72 6 Core 1008 MHz</u>	712	3633	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>ARM Neoverse-N1 32 Core 1700 MHz</u>	11,820	798	NA
<u>ARM Neoverse-N1 64 Core 0 MHz</u>	28,064	236	NA
<u>ARM Neoverse-N1 64 Core 2200 MHz</u>	18,660	501	NA
<u>ARM Neoverse-N1 80 Core 2600 MHz</u>	18,823	495	NA
<u>ARM Neoverse-N1 80 Core 2800 MHz</u>	11,755	803	NA
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	36,400	141	NA
<u>ARM Neoverse-N1 128 Core 2800 MHz</u>	43,111	103	NA
<u>ARM Neoverse-N1 128 Core 3000 MHz</u>	46,271	88	NA
<u>ARM phytium FT1500a 4 Core 2000 MHz</u>	1,579	2840	NA
<u>ARM Phytium,D2000/8 8 Core 2000 MHz</u>	2,409	2346	NA
<u>ARM Phytium,D2000/8 8 Core 2300 MHz</u>	2,705	2205	NA
<u>ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</u>	2,156	2502	NA
<u>ARM Phytium,FT-2000/4 8 Core 2300 MHz</u>	2,720	2197	NA
<u>ARM X-Gene 32 Core 3000 MHz</u>	8,202	1046	NA
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684	996	NA
<u>ASUS Tinker Board 2/2S</u>	1,771	2723	NA
<u>Athlon 64 Dual Core 3800+</u>	736	3606	NA
<u>Athlon 64 Dual Core 5000+</u>	850	3474	NA
<u>Athlon 64 Dual Core 5600+</u>	875	3449	NA
<u>Athlon Dual Core 4050e</u>	670	3690	NA
<u>Athlon Dual Core 4450e</u>	681	3674	NA
<u>Athlon Dual Core 4850e</u>	769	3569	NA
<u>BCM2711</u>	852	3473	NA
<u>BCM2835</u>	1,231	3099	NA
<u>Broadcom STB (Flattened Device Tree)</u>	651	3708	NA
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	687	3667	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Google Tensor</u>	6,702	1242	NA
<u>Hardkernel ODROID-N2Plus</u>	2,115	2517	NA
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	5,359	1485	NA
<u>hi6210sft</u>	796	3538	NA
<u>High Performance Datacenter v</u>	1,501	2907	NA
<u>HiSilicon Kirin</u>	6,794	1226	NA
<u>Hisilicon Kirin710</u>	2,425	2334	NA
<u>Hisilicon Kirin810</u>	2,945	2116	NA
<u>Hisilicon Kirin820</u>	3,893	1783	NA
<u>Hisilicon Kirin970</u>	2,672	2218	NA
<u>Hisilicon Kirin980</u>	4,330	1676	NA
<u>Hisilicon Kirin985</u>	4,162	1716	NA
<u>Hisilicon Kirin9000</u>	5,083	1542	NA
<u>HiSilicon Kirin 659</u>	1,893	2648	NA
<u>Hisilicon Kirin 930</u>	1,415	2966	NA
<u>Hisilicon Kirin 935</u>	1,291	3050	NA
<u>HiSilicon Kirin 950</u>	2,457	2316	NA
<u>Hisilicon Kirin 955</u>	2,936	2122	NA
<u>HiSilicon Kirin 960</u>	2,809	2163	NA
<u>HiSilicon Kirin 970</u>	2,908	2133	NA
<u>Hisilicon Kirin 990</u>	3,794	1810	NA
<u>HP Hexa-Core 2.0GHz</u>	1,741	2741	3.45
<u>Hygon C86 3185 8-core</u>	9,627	927	NA
<u>Hygon C86 7255 16-core</u>	18,831	492	NA
<u>Intel 2.80GHz</u>	341	4036	NA
<u>Intel Atom 230 @ 1.60GHz</u>	203	4240	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Atom C3538 @ 2.10GHz</u>	1,960	2601	26.13
<u>Intel Atom C3558 @ 2.20GHz</u>	2,417	2341	28.11
<u>Intel Atom C3758 @ 2.20GHz</u>	4,750	1588	24.61
<u>Intel Atom C3858 @ 2.00GHz</u>	4,707	1594	14.18
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281	1684	9.53
<u>Intel Atom C5125</u>	8,631	1000	28.87
<u>Intel Atom D410 @ 1.66GHz</u>	177	4284	0.28
<u>Intel Atom D425 @ 1.80GHz</u>	199	4244	0.20
<u>Intel Atom D510 @ 1.66GHz</u>	406	3967	4.18
<u>Intel Atom D525 @ 1.80GHz</u>	393	3986	NA
<u>Intel Atom D2500 @ 1.86GHz</u>	233	4202	NA
<u>Intel Atom D2550 @ 1.86GHz</u>	434	3931	NA
<u>Intel Atom D2560 @ 2.00GHz</u>	433	3932	NA
<u>Intel Atom D2700 @ 2.13GHz</u>	461	3912	NA
<u>Intel Atom D2701 @ 2.13GHz</u>	511	3864	NA
<u>Intel Atom E3805 @ 1.33GHz</u>	406	3966	20.31
<u>Intel Atom E3815 @ 1.46GHz</u>	184	4269	1.36
<u>Intel Atom E3825 @ 1.33GHz</u>	378	4003	5.37
<u>Intel Atom E3826 @ 1.46GHz</u>	304	4092	NA
<u>Intel Atom E3827 @ 1.74GHz</u>	463	3911	NA
<u>Intel Atom E3840 @ 1.91GHz</u>	704	3646	NA
<u>Intel Atom E3845 @ 1.91GHz</u>	1,058	3270	NA
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953	2606	NA
<u>Intel Atom E3940 @ 1.60GHz</u>	1,973	2594	NA
<u>Intel Atom E3950 @ 1.60GHz</u>	2,113	2518	NA
<u>Intel Atom N270 @ 1.60GHz</u>	175	4286	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Atom S1260 @ 2.00GHz</u>	526	3848	8.22
<u>Intel Atom T5700 @ 1.70GHz</u>	2,363	2372	NA
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	928	3409	NA
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	1,008	3322	NA
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	801	3533	6.02
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	814	3515	NA
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	897	3429	42.73
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,237	3095	19.78
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,183	3150	NA
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,344	3011	18.25
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,335	3017	NA
<u>Intel Atom x6211E @ 1.20GHz</u>	1,695	2768	48.43
<u>Intel Atom x6211E @ 1.30GHz</u>	1,833	2683	52.36
<u>Intel Atom x6214RE @ 1.40GHz</u>	1,109	3220	23.59
<u>Intel Atom x6413E @ 1.50GHz</u>	3,815	1803	88.73
<u>Intel Atom x6414RE @ 1.50GHz</u>	2,311	2406	42.02
<u>Intel Atom x6425E @ 2.00GHz</u>	3,934	1772	70.25
<u>Intel Atom x6425RE @ 1.90GHz</u>	2,935	2124	49.75
<u>Intel Atom Z520 @ 1.33GHz</u>	122	4354	NA
<u>Intel Atom Z530 @ 1.60GHz</u>	183	4275	NA
<u>Intel Atom Z670 @ 1.50GHz</u>	158	4308	NA
<u>Intel Atom Z2760 @ 1.80GHz</u>	298	4099	NA
<u>Intel Atom Z3530 @ 1.33GHz</u>	565	3806	NA
<u>Intel Atom Z3560 @ 1.00GHz</u>	749	3589	NA
<u>Intel Atom Z3560 @ 1.83GHz</u>	690	3661	NA
<u>Intel Atom Z3580 @ 1.33GHz</u>	802	3532	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Atom Z3775 @ 1.46GHz</u>	703	3647	1.41
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	3541	NA
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,197	3134	NA
<u>Intel CC150 @ 3.50GHz</u>	11,745	805	NA
<u>Intel Celeron 1.70GHz</u>	101	4372	NA
<u>Intel Celeron 1.80GHz</u>	96	4375	NA
<u>Intel Celeron 2.00GHz</u>	125	4350	NA
<u>Intel Celeron 2.13GHz</u>	166	4296	NA
<u>Intel Celeron 2.20GHz</u>	139	4336	NA
<u>Intel Celeron 2.26GHz</u>	182	4278	NA
<u>Intel Celeron 2.30GHz</u>	148	4324	NA
<u>Intel Celeron 2.40GHz</u>	143	4330	NA
<u>Intel Celeron 2.50GHz</u>	164	4299	NA
<u>Intel Celeron 2.53GHz</u>	222	4214	NA
<u>Intel Celeron 2.60GHz</u>	143	4329	NA
<u>Intel Celeron 2.66GHz</u>	154	4316	NA
<u>Intel Celeron 2.70GHz</u>	159	4306	NA
<u>Intel Celeron 2.80GHz</u>	190	4263	NA
<u>Intel Celeron 2.93GHz</u>	230	4207	NA
<u>Intel Celeron 3.06GHz</u>	307	4089	NA
<u>Intel Celeron 3.20GHz</u>	267	4149	NA
<u>Intel Celeron 3.33GHz</u>	263	4153	NA
<u>Intel Celeron 215 @ 1.33GHz</u>	174	4290	NA
<u>Intel Celeron 220 @ 1.20GHz</u>	209	4228	NA
<u>Intel Celeron 420 @ 1.60GHz</u>	235	4197	4.71
<u>Intel Celeron 430 @ 1.80GHz</u>	280	4126	9.34

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron 827E @ 1.40GHz</u>	371	4009	NA
<u>Intel Celeron 847 @ 1.10GHz</u>	482	3893	1.53
<u>Intel Celeron 847E @ 1.10GHz</u>	584	3783	NA
<u>Intel Celeron 857 @ 1.20GHz</u>	569	3802	NA
<u>Intel Celeron 867 @ 1.30GHz</u>	562	3813	10.08
<u>Intel Celeron 877 @ 1.40GHz</u>	675	3680	NA
<u>Intel Celeron 887 @ 1.50GHz</u>	754	3583	NA
<u>Intel Celeron 900 @ 2.20GHz</u>	397	3980	20.90
<u>Intel Celeron 925 @ 2.30GHz</u>	477	3898	NA
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,070	3256	NA
<u>Intel Celeron 1000MHz</u>	139	4334	NA
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,087	3239	NA
<u>Intel Celeron 1007U @ 1.50GHz</u>	832	3498	4.50
<u>Intel Celeron 1017U @ 1.60GHz</u>	895	3432	NA
<u>Intel Celeron 1019Y @ 1.00GHz</u>	576	3794	NA
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	2975	NA
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275	3062	NA
<u>Intel Celeron 1037U @ 1.80GHz</u>	954	3382	NA
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748	3590	NA
<u>Intel Celeron 1100MHz</u>	113	4366	7.55
<u>Intel Celeron 1200MHz</u>	159	4307	NA
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,607	2819	NA
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	3233	12.68
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,264	3074	NA
<u>Intel Celeron 2955U @ 1.40GHz</u>	895	3433	NA
<u>Intel Celeron 2957U @ 1.40GHz</u>	856	3469	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,490	2915	NA
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,742	2740	16.28
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,179	3156	11.02
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,349	3009	12.61
<u>Intel Celeron 4305U @ 2.20GHz</u>	1,807	2698	16.89
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,699	2766	NA
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,460	2930	13.65
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,083	2529	NA
<u>Intel Celeron 6305E @ 1.80GHz</u>	1,946	2611	18.19
<u>Intel Celeron 6600HE @ 2.60GHz</u>	3,286	1972	27.85
<u>Intel Celeron 7305</u>	2,367	2367	22.13
<u>Intel Celeron @ 1.30GHz</u>	572	3797	NA
<u>Intel Celeron B710 @ 1.60GHz</u>	106	4368	NA
<u>Intel Celeron B800 @ 1.50GHz</u>	674	3683	26.97
<u>Intel Celeron B810 @ 1.60GHz</u>	775	3562	9.69
<u>Intel Celeron B815 @ 1.60GHz</u>	723	3622	NA
<u>Intel Celeron B820 @ 1.70GHz</u>	807	3522	27.54
<u>Intel Celeron B830 @ 1.80GHz</u>	829	3499	16.58
<u>Intel Celeron B840 @ 1.90GHz</u>	1,015	3312	NA
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	4203	NA
<u>Intel Celeron D 352 @ 3.20GHz</u>	274	4136	NA
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	4169	NA
<u>Intel Celeron D 360 @ 3.46GHz</u>	372	4007	NA
<u>Intel Celeron D 420 @ 1.60GHz</u>	313	4082	NA
<u>Intel Celeron E1200 @ 1.60GHz</u>	551	3821	5.51
<u>Intel Celeron E1400 @ 2.00GHz</u>	709	3637	8.87

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056	3275	62.15
<u>Intel Celeron G540 @ 2.50GHz</u>	1,172	3160	106.27
<u>Intel Celeron G540T @ 2.10GHz</u>	1,137	3192	NA
<u>Intel Celeron G550 @ 2.60GHz</u>	1,224	3108	24.98
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102	3225	NA
<u>Intel Celeron G555 @ 2.70GHz</u>	1,268	3068	16.91
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086	3241	54.92
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,517	2897	40.99
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,373	2996	91.63
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,552	2860	34.50
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,540	2875	36.66
<u>Intel Celeron G1630 @ 2.80GHz</u>	1,707	2762	15.53
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,691	2770	37.68
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,631	2809	38.84
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,115	3213	NA
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,560	2853	21.37
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,761	2735	35.76
<u>Intel Celeron G1840T @ 2.50GHz</u>	1,576	2844	NA
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,899	2644	32.18
<u>Intel Celeron G3900 @ 2.80GHz</u>	2,172	2489	135.81
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034	2558	19.01
<u>Intel Celeron G3900T @ 2.60GHz</u>	2,081	2530	18.50
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850	2673	30.86
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,346	2387	2.16
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,230	2460	81.98
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,051	2552	120.73

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,070	2539	49.28
<u>Intel Celeron G5920 @ 3.50GHz</u>	2,482	2305	62.19
<u>Intel Celeron G5925 @ 3.60GHz</u>	2,727	2192	60.78
<u>Intel Celeron G6900</u>	4,541	1628	56.84
<u>Intel Celeron G6900T</u>	4,003	1761	95.32
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	3765	NA
<u>Intel Celeron J1800 @ 2.41GHz</u>	593	3768	NA
<u>Intel Celeron J1850 @ 1.99GHz</u>	942	3395	NA
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,152	3178	NA
<u>Intel Celeron J3060 @ 1.60GHz</u>	660	3700	NA
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,266	3070	NA
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,189	3144	NA
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,256	2442	6.46
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,193	2478	NA
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,595	2829	9.45
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,730	2748	NA
<u>Intel Celeron J4105 @ 1.50GHz</u>	2,910	2131	27.20
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,678	2216	NA
<u>Intel Celeron J4125 @ 2.00GHz</u>	2,979	2101	NA
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,849	1792	71.28
<u>Intel Celeron J6413 @ 1.80GHz</u>	4,269	1688	NA
<u>Intel Celeron M 1.00GHz</u>	149	4323	10.65
<u>Intel Celeron M 1.30GHz</u>	205	4234	NA
<u>Intel Celeron M 1.50GHz</u>	216	4221	NA
<u>Intel Celeron M 1.60GHz</u>	190	4262	NA
<u>Intel Celeron M 1.70GHz</u>	252	4165	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron M 1300MHz</u>	197	4247	NA
<u>Intel Celeron M 1500MHz</u>	217	4220	NA
<u>Intel Celeron N2805 @ 1.46GHz</u>	335	4051	NA
<u>Intel Celeron N2806 @ 1.60GHz</u>	487	3889	NA
<u>Intel Celeron N2807 @ 1.58GHz</u>	497	3880	NA
<u>Intel Celeron N2808 @ 1.58GHz</u>	522	3852	NA
<u>Intel Celeron N2810 @ 2.00GHz</u>	420	3949	3.00
<u>Intel Celeron N2815 @ 1.86GHz</u>	499	3876	NA
<u>Intel Celeron N2820 @ 2.13GHz</u>	500	3875	2.22
<u>Intel Celeron N2830 @ 2.16GHz</u>	550	3822	3.67
<u>Intel Celeron N2840 @ 2.16GHz</u>	588	3777	NA
<u>Intel Celeron N2910 @ 1.60GHz</u>	773	3564	NA
<u>Intel Celeron N2920 @ 1.86GHz</u>	943	3393	NA
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,001	3333	NA
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,049	3282	NA
<u>Intel Celeron N3000 @ 1.04GHz</u>	616	3744	NA
<u>Intel Celeron N3010 @ 1.04GHz</u>	612	3747	NA
<u>Intel Celeron N3050 @ 1.60GHz</u>	592	3770	3.48
<u>Intel Celeron N3060 @ 1.60GHz</u>	656	3702	2.33
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,208	3125	NA
<u>Intel Celeron N3160 @ 1.60GHz</u>	1,168	3162	3.35
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,109	3218	4.03
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,976	2592	10.68
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,422	2962	13.29
<u>Intel Celeron N4000C @ 1.10GHz</u>	1,403	2976	NA
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,563	2851	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Celeron P4500 @ 1.87GHz</u>	816	3511	NA
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	3663	NA
<u>Intel Celeron P4600 @ 2.00GHz</u>	870	3454	NA
<u>Intel Celeron SU2300 @ 1.20GHz</u>	460	3913	NA
<u>Intel Celeron T1600 @ 1.66GHz</u>	562	3812	28.09
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028	3298	NA
<u>Intel Celeron U3400 @ 1.07GHz</u>	516	3860	NA
<u>Intel Celeron U3600 @ 1.20GHz</u>	579	3789	NA
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	564	3810	13.26
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	646	3715	15.19
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	737	3603	67.00
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	861	3463	5.45
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	862	3461	31.94
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	615	3745	4.82
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	717	3628	17.94
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	735	3608	24.56
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	747	3593	18.67
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	808	3519	NA
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	885	3441	66.57
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	937	3401	4.98
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	990	3344	33.02
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,007	3324	97.74
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,118	3206	21.84
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	984	3347	20.94
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	965	3369	19.32
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	1,011	3317	20.64

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,057	3273	17.61
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,244	3090	29.83
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,373	2995	17.96
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	467	3908	NA
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	513	3863	NA
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516	3861	NA
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	589	3775	NA
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	607	3749	NA
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680	3675	NA
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	690	3662	NA
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	788	3548	NA
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	770	3568	38.52
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	3545	NA
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	791	3543	19.78
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	853	3472	3.71
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	804	3528	NA
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	838	3490	2.82
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	857	3464	17.43
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	972	3362	11.44
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	947	3391	16.62
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	952	3389	NA
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	1,019	3306	1.02
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,040	3287	10.51
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,086	3240	NA
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,131	3198	NA
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	763	3575	3.02

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	577	3792	NA
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	681	3673	68.16
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	629	3732	NA
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	687	3666	24.73
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	684	3670	NA
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652	3707	NA
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	713	3630	47.58
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	736	3604	49.13
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	751	3587	19.51
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	778	3559	19.45
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	787	3550	NA
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	598	3763	39.90
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	739	3599	16.25
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	702	3649	3.49
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	672	3686	7.47
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	703	3648	4.69
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	833	3496	14.12
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	801	3534	8.01
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	941	3396	7.24
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	976	3358	1.60
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	746	3595	0.75
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	879	3444	8.07
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	971	3363	10.22
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	982	3352	28.11
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,050	3280	9.72
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	957	3376	3.20

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,011	2572	NA
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,918	2629	NA
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823	3504	3.12
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,138	3189	NA
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,108	3221	6.92
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,099	3227	2.68
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,164	3166	1.37
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,363	2371	2.75
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,348	2382	NA
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,658	2225	1.65
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	2,780	2171	1.54
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,806	2699	47.63
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,088	2527	20.89
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,785	2714	27.90
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,875	2660	14.42
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,054	2550	15.94
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,544	2872	12.78
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,764	2733	4.57
<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	1,953	2604	51.35
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,105	2522	55.38
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,162	2496	60.56
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,206	2473	45.00
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	2,067	2541	41.35
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,324	2399	7.20
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,445	2324	44.91
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	4200	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408	3964	3.40
<u>Intel Core Duo T2600 @ 2.16GHz</u>	450	3924	NA
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498	3877	NA
<u>Intel Core Duo U2400 @ 1.06GHz</u>	255	4161	NA
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220	4217	NA
<u>Intel Core i3-330E @ 2.13GHz</u>	1,260	3078	NA
<u>Intel Core i3-330M @ 2.13GHz</u>	1,016	3309	6.77
<u>Intel Core i3-330UM @ 1.20GHz</u>	515	3862	NA
<u>Intel Core i3-350M @ 2.27GHz</u>	1,076	3250	37.10
<u>Intel Core i3-370M @ 2.40GHz</u>	1,136	3193	37.93
<u>Intel Core i3-380M @ 2.53GHz</u>	1,199	3132	24.00
<u>Intel Core i3-380UM @ 1.33GHz</u>	734	3611	NA
<u>Intel Core i3-390M @ 2.67GHz</u>	1,215	3120	31.19
<u>Intel Core i3-530 @ 2.93GHz</u>	1,492	2911	29.84
<u>Intel Core i3-540 @ 3.07GHz</u>	1,527	2886	13.88
<u>Intel Core i3-550 @ 3.20GHz</u>	1,606	2821	13.38
<u>Intel Core i3-560 @ 3.33GHz</u>	1,665	2784	27.75
<u>Intel Core i3-1000NG4 @ 1.10GHz</u>	3,760	1818	NA
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	5,002	1553	17.80
<u>Intel Core i3-1110G4 @ 1.80GHz</u>	4,390	1664	15.62
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,158	1338	21.91
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,826	1393	20.44
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	4,220	1702	12.48
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,859	912	NA
<u>Intel Core i3-1210U</u>	11,087	831	NA
<u>Intel Core i3-1215U</u>	11,176	828	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i3-2130 @ 3.40GHz</u>	2,031	2560	72.27
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307	2410	NA
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845	2677	8.20
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,217	3117	30.47
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,138	3190	NA
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,237	3096	8.24
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823	2686	NA
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,227	3104	30.71
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353	3007	NA
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	3357	NA
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,274	3063	NA
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,251	3085	46.68
<u>Intel Core i3-2357M @ 1.30GHz</u>	788	3547	NA
<u>Intel Core i3-2365M @ 1.40GHz</u>	821	3506	NA
<u>Intel Core i3-2367M @ 1.40GHz</u>	832	3497	NA
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,357	3003	36.69
<u>Intel Core i3-2375M @ 1.50GHz</u>	900	3427	NA
<u>Intel Core i3-2377M @ 1.50GHz</u>	834	3494	NA
<u>Intel Core i3-3110M @ 2.40GHz</u>	1,641	2803	23.46
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,686	2775	6.41
<u>Intel Core i3-3130M @ 2.60GHz</u>	1,900	2643	NA
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,210	2471	19.22
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,216	3118	6.11
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362	3000	NA
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,256	2443	91.71
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,924	2623	14.25

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,358	3002	NA
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,219	3115	NA
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,453	2935	NA
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,959	2602	NA
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,867	2665	NA
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,654	2793	NA
<u>Intel Core i3-4100E @ 2.40GHz</u>	1,848	2675	8.22
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,496	2299	11.42
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,678	2215	NA
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,860	2669	NA
<u>Intel Core i3-4120U @ 2.00GHz</u>	1,948	2609	NA
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,315	1955	116.45
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,877	2141	143.90
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,377	1936	158.62
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,937	2120	7.04
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,718	2756	NA
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,511	1887	488.28
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,143	2030	52.39
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,579	1871	138.07
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,203	2006	16.02
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,560	1876	36.72
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,105	2041	NA
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,012	2571	NA
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,545	1878	29.70
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,459	1903	86.50
<u>Intel Core i3-4350T @ 3.10GHz</u>	3,085	2052	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,056	1748	57.94
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,152	1721	38.63
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	1956	NA
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041	2074	NA
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,641	1855	33.10
<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,152	2027	NA
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,633	2236	4.97
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349	2380	10.44
<u>Intel Core i3-6157U @ 2.40GHz</u>	2,767	2178	NA
<u>Intel Core i3-6167U @ 2.70GHz</u>	3,206	2005	NA
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,353	1672	66.72
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,002	1762	44.46
<u>Intel Core i3-6320 @ 3.90GHz</u>	4,398	1660	45.53
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,571	2267	9.15
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,363	1670	71.29
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	1912	15.25
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,802	1807	38.03
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,718	2198	5.88
<u>Intel Core i3-7101E @ 3.90GHz</u>	4,430	1650	37.87
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,911	1780	33.43
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521	2288	11.21
<u>Intel Core i3-7130U @ 2.70GHz</u>	3,006	2085	6.53
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,368	1941	NA
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,529	1631	77.19
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,159	1717	22.90
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,853	1573	45.37

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,887	1383	37.04
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,928	1206	75.98
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,668	1246	63.27
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,761	1236	102.46
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,566	1439	45.62
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501	1637	36.89
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,279	1151	28.62
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,164	1336	43.11
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358	1138	34.12
<u>Intel Core i3-9350K @ 4.00GHz</u>	7,700	1088	26.26
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,577	1106	72.84
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,701	993	90.63
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,229	1040	65.83
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,805	991	126.69
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,328	1143	60.07
<u>Intel Core i3-10100TE @ 2.30GHz</u>	6,237	1323	45.19
<u>Intel Core i3-10100Y @ 1.30GHz</u>	2,955	2109	NA
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,672	997	82.83
<u>Intel Core i3-10105F @ 3.70GHz</u>	9,034	978	122.09
<u>Intel Core i3-10105T @ 3.00GHz</u>	8,018	1067	65.72
<u>Intel Core i3-10110U @ 2.10GHz</u>	3,942	1769	9.08
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,269	1979	11.39
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,375	944	93.75
<u>Intel Core i3-10300T @ 3.00GHz</u>	8,073	1058	41.62
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,108	970	54.50
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136	1051	56.90

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i3-13100</u>	14,944	648	116.15
<u>Intel Core i3-13100F</u>	14,895	650	134.20
<u>Intel Core i3-13100T</u>	13,120	746	97.91
<u>Intel Core i3-21050 @ 3.10GHz</u>	2,193	2479	NA
<u>Intel Core i3-N300</u>	8,064	1060	26.10
<u>Intel Core i3-N305</u>	10,276	889	33.26
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326	3022	9.47
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619	2813	NA
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,770	2176	NA
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,664	2221	NA
<u>Intel Core i5-430M @ 2.27GHz</u>	1,191	3142	9.17
<u>Intel Core i5-430UM @ 1.20GHz</u>	670	3689	NA
<u>Intel Core i5-450M @ 2.40GHz</u>	1,235	3098	38.65
<u>Intel Core i5-460M @ 2.53GHz</u>	1,285	3053	9.89
<u>Intel Core i5-470UM @ 1.33GHz</u>	778	3558	NA
<u>Intel Core i5-480M @ 2.67GHz</u>	1,319	3029	16.36
<u>Intel Core i5-520M @ 2.40GHz</u>	1,721	2755	61.42
<u>Intel Core i5-520UM @ 1.07GHz</u>	908	3421	NA
<u>Intel Core i5-540M @ 2.53GHz</u>	1,786	2712	11.91
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002	3332	NA
<u>Intel Core i5-560M @ 2.67GHz</u>	1,889	2649	23.62
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	3314	NA
<u>Intel Core i5-580M @ 2.67GHz</u>	1,953	2607	19.54
<u>Intel Core i5-650 @ 3.20GHz</u>	2,237	2455	29.84
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017	2568	26.24
<u>Intel Core i5-660 @ 3.33GHz</u>	2,394	2351	104.14

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	8,600	1005	27.83
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	9,932	908	32.14
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	9,610	929	NA
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	9,970	903	NA
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	9,457	937	30.31
<u>Intel Core i5-1145GRE @ 2.60GHz</u>	9,428	938	26.05
<u>Intel Core i5-1155G7 @ 2.50GHz</u>	10,325	885	33.41
<u>Intel Core i5-1230U</u>	10,648	860	34.46
<u>Intel Core i5-1235U</u>	13,659	714	44.20
<u>Intel Core i5-1240P</u>	17,456	546	NA
<u>Intel Core i5-1240U</u>	14,323	681	NA
<u>Intel Core i5-1245U</u>	13,656	715	44.20
<u>Intel Core i5-1245UE</u>	9,283	952	29.75
<u>Intel Core i5-1250P</u>	20,732	427	NA
<u>Intel Core i5-1250PE</u>	17,738	535	49.97
<u>Intel Core i5-1334U</u>	10,366	879	30.49
<u>Intel Core i5-1335U</u>	18,341	514	53.95
<u>Intel Core i5-1340P</u>	20,747	426	58.77
<u>Intel Core i5-1345U</u>	15,622	620	50.56
<u>Intel Core i5-1350P</u>	21,969	383	68.65
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,397	1927	154.46
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,643	1854	76.56
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,644	1853	26.93
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797	1809	45.84
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,418	2339	24.21
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,852	1790	93.95

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,395	1928	61.36
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,942	2117	32.69
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	2650	NA
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	2659	NA
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,230	2458	34.31
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,202	3126	NA
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,355	2376	29.44
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,099	1734	80.74
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,713	2758	NA
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,397	2350	NA
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882	986	NA
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,473	2309	47.53
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,548	2274	25.48
<u>Intel Core i5-3317U @ 1.70GHz</u>	2,008	2574	8.93
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,653	2229	60.24
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,093	1735	40.96
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,853	1789	19.27
<u>Intel Core i5-3335S @ 2.70GHz</u>	4,074	1740	NA
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,096	2524	9.32
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,583	2838	NA
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,250	1695	32.70
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,696	2208	38.54
<u>Intel Core i5-3340S @ 2.80GHz</u>	3,918	1777	12.27
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,234	1699	18.97
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,884	2139	36.96
<u>Intel Core i5-3380M @ 2.90GHz</u>	2,949	2112	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,919	1565	37.23
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,961	1558	103.42
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,638	1608	77.31
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,057	1745	NA
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,608	2243	NA
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,107	2040	NA
<u>Intel Core i5-4200M @ 2.50GHz</u>	2,801	2165	31.49
<u>Intel Core i5-4200U @ 1.60GHz</u>	2,188	2483	NA
<u>Intel Core i5-4200Y @ 1.40GHz</u>	1,558	2855	NA
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,493	2910	NA
<u>Intel Core i5-4210H @ 2.90GHz</u>	3,068	2063	NA
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,881	2140	32.72
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,309	2407	NA
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,577	2843	NA
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591	2832	NA
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853	2670	NA
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,168	2491	6.21
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,571	2266	NA
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,332	2394	NA
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,830	2154	NA
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,664	2222	NA
<u>Intel Core i5-4300M @ 2.60GHz</u>	3,000	2088	NA
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,501	2297	NA
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,526	2887	NA
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,986	2586	NA
<u>Intel Core i5-4308U @ 2.80GHz</u>	2,996	2092	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,416	1656	35.66
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,872	1569	162.45
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,559	1620	28.50
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,621	1859	NA
<u>Intel Core i5-4470 @ 3.30GHz</u>	1,180	3154	NA
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742	1590	NA
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,224	1519	86.95
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,558	1621	NA
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,979	1556	49.79
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,208	2003	24.90
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,074	2057	8.99
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,367	1484	92.54
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,120	1530	365.95
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,053	1750	43.04
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,521	1450	92.01
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,540	1448	59.57
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034	1548	NA
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233	1516	18.96
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,096	1536	23.93
<u>Intel Core i5-4670T @ 2.30GHz</u>	4,330	1675	16.72
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,599	1436	92.05
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,677	1418	89.44
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,495	1455	91.60
<u>Intel Core i5-4690T @ 2.50GHz</u>	4,704	1595	NA
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,500	2298	8.90
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,474	2308	4.67

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,820	1800	12.57
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,700	1597	NA
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,241	1988	NA
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255	1692	13.90
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,122	2035	NA
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,167	1525	64.75
<u>Intel Core i5-6400T @ 2.20GHz</u>	4,309	1678	26.93
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,443	1467	51.83
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,419	1473	NA
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,089	1538	NA
<u>Intel Core i5-6442EQ @ 1.90GHz</u>	4,548	1624	18.19
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,639	1431	67.04
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,772	1583	21.54
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,742	1589	9.68
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,033	1366	191.59
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,328	1304	95.89
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,654	1425	49.95
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,394	1929	6.80
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,950	1767	8.40
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,775	1814	NA
<u>Intel Core i5-7287U @ 3.30GHz</u>	3,744	1825	NA
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,099	1535	NA
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,682	1844	5.87
<u>Intel Core i5-7360U @ 2.30GHz</u>	3,919	1776	NA
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,505	1453	64.77
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,762	1584	25.74

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,890	1381	NA
<u>Intel Core i5-8257U @ 1.40GHz</u>	7,639	1100	23.87
<u>Intel Core i5-8259U @ 2.30GHz</u>	8,006	1069	15.40
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,747	1084	17.61
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,019	1370	12.04
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,988	1374	NA
<u>Intel Core i5-8269U @ 2.60GHz</u>	8,055	1062	25.17
<u>Intel Core i5-8279U @ 2.40GHz</u>	7,689	1090	24.03
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,467	1121	29.87
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,876	1212	NA
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,202	1329	20.88
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,270	1317	11.63
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,711	1411	19.23
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,261	956	65.08
<u>Intel Core i5-8400H @ 2.50GHz</u>	7,862	1075	31.45
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,492	1115	31.24
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,607	930	72.50
<u>Intel Core i5-8500B @ 3.00GHz</u>	9,005	980	46.90
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,729	1086	29.06
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,954	905	86.13
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,231	890	86.27
<u>Intel Core i5-8600T @ 2.30GHz</u>	9,157	964	45.79
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,666	1093	30.66
<u>Intel Core i5-9300HF @ 2.40GHz</u>	7,512	1112	30.05
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,422	939	68.68
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,512	934	63.42

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,267	1318	8.92
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,640	1607	NA
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,527	1012	34.11
<u>Intel Core i5-10310U @ 1.70GHz</u>	6,480	1274	21.82
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,213	784	106.21
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,284	781	112.70
<u>Intel Core i5-10400H @ 2.60GHz</u>	8,622	1002	34.49
<u>Intel Core i5-10400T @ 2.00GHz</u>	9,966	904	54.76
<u>Intel Core i5-10500 @ 3.10GHz</u>	12,821	765	55.99
<u>Intel Core i5-10500E @ 3.10GHz</u>	10,827	852	55.52
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,374	817	45.49
<u>Intel Core i5-10500T @ 2.30GHz</u>	10,113	894	101.14
<u>Intel Core i5-10500TE @ 2.30GHz</u>	8,449	1019	43.33
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,225	783	NA
<u>Intel Core i5-10600 @ 3.30GHz</u>	13,738	711	62.96
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,384	677	90.41
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,386	676	81.75
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,210	826	52.63
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,885	608	63.54
<u>Intel Core i5-11300H @ 3.10GHz</u>	11,003	840	35.61
<u>Intel Core i5-11320H @ 3.20GHz</u>	10,943	845	35.42
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,096	561	122.64
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,158	558	143.00
<u>Intel Core i5-11400H @ 2.70GHz</u>	15,870	609	63.48
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,549	720	74.44
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,463	545	83.76

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i5-12490F</u>	20,650	430	113.47
<u>Intel Core i5-12500</u>	20,011	447	99.06
<u>Intel Core i5-12500E</u>	20,699	429	92.00
<u>Intel Core i5-12500H</u>	21,649	393	69.61
<u>Intel Core i5-12500T</u>	16,806	572	83.20
<u>Intel Core i5-12500TE</u>	16,456	585	80.27
<u>Intel Core i5-12600</u>	21,423	402	82.39
<u>Intel Core i5-12600H</u>	23,012	348	73.99
<u>Intel Core i5-12600HE</u>	24,599	307	78.09
<u>Intel Core i5-12600HX</u>	23,908	320	84.18
<u>Intel Core i5-12600K</u>	27,796	243	138.99
<u>Intel Core i5-12600KF</u>	27,479	249	124.94
<u>Intel Core i5-12600T</u>	17,472	543	NA
<u>Intel Core i5-13400</u>	25,466	287	111.57
<u>Intel Core i5-13400F</u>	25,704	283	155.79
<u>Intel Core i5-13400T</u>	19,805	460	89.62
<u>Intel Core i5-13420H</u>	18,492	505	54.07
<u>Intel Core i5-13450HX</u>	26,224	275	80.44
<u>Intel Core i5-13490F</u>	27,675	246	104.97
<u>Intel Core i5-13500</u>	32,522	177	131.15
<u>Intel Core i5-13500H</u>	22,934	354	NA
<u>Intel Core i5-13500HX</u>	28,199	234	86.50
<u>Intel Core i5-13500T</u>	24,262	313	104.58
<u>Intel Core i5-13600</u>	33,474	161	131.27
<u>Intel Core i5-13600H</u>	25,354	292	81.52
<u>Intel Core i5-13600HX</u>	29,864	207	105.15

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-640M @ 2.80GHz</u>	2,054	2548	14.48
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,147	3181	NA
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284	3054	NA
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,196	3136	NA
<u>Intel Core i7-720QM @ 1.60GHz</u>	1,658	2789	7.54
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,820	2688	9.58
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,804	2701	13.98
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,926	2621	5.68
<u>Intel Core i7-860 @ 2.80GHz</u>	2,969	2105	82.50
<u>Intel Core i7-860S @ 2.53GHz</u>	2,403	2348	17.17
<u>Intel Core i7-870 @ 2.93GHz</u>	3,118	2037	31.18
<u>Intel Core i7-870S @ 2.67GHz</u>	2,786	2169	NA
<u>Intel Core i7-875K @ 2.93GHz</u>	3,045	2069	15.24
<u>Intel Core i7-880 @ 3.07GHz</u>	3,105	2042	44.36
<u>Intel Core i7-920 @ 2.67GHz</u>	2,820	2161	28.49
<u>Intel Core i7-920XM @ 2.00GHz</u>	1,885	2653	4.72
<u>Intel Core i7-930 @ 2.80GHz</u>	2,937	2121	114.31
<u>Intel Core i7-940 @ 2.93GHz</u>	2,947	2114	8.47
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,230	2459	NA
<u>Intel Core i7-950 @ 3.07GHz</u>	3,191	2010	12.81
<u>Intel Core i7-960 @ 3.20GHz</u>	3,312	1958	67.59
<u>Intel Core i7-965 @ 3.20GHz</u>	3,424	1916	3.04
<u>Intel Core i7-970 @ 3.20GHz</u>	6,526	1266	12.55
<u>Intel Core i7-975 @ 3.33GHz</u>	3,428	1914	7.48
<u>Intel Core i7-980 @ 3.33GHz</u>	6,926	1208	23.81
<u>Intel Core i7-980X @ 3.33GHz</u>	6,833	1216	62.12

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	8,203	1045	NA
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	11,078	836	26.01
<u>Intel Core i7-1250U</u>	12,746	767	29.92
<u>Intel Core i7-1255U</u>	13,928	701	32.70
<u>Intel Core i7-1260P</u>	17,333	550	NA
<u>Intel Core i7-1260U</u>	12,911	756	NA
<u>Intel Core i7-1265U</u>	14,135	693	33.18
<u>Intel Core i7-1265UE</u>	9,195	959	19.48
<u>Intel Core i7-1270P</u>	17,629	538	NA
<u>Intel Core i7-1270PE</u>	19,194	480	43.52
<u>Intel Core i7-1280P</u>	20,383	437	42.29
<u>Intel Core i7-1355U</u>	15,630	618	33.33
<u>Intel Core i7-1360P</u>	19,643	465	40.92
<u>Intel Core i7-1365U</u>	15,563	623	36.53
<u>Intel Core i7-1370P</u>	22,452	370	NA
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,331	1488	66.64
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,479	1459	92.91
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,594	1614	18.45
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,409	2970	NA
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,687	2774	NA
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,435	2328	20.94
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,539	1880	18.63
<u>Intel Core i7-2630UM @ 1.60GHz</u>	400	3973	NA
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,286	1973	NA
<u>Intel Core i7-2637M @ 1.70GHz</u>	1,783	2719	NA
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,503	2296	25.28

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,594	1613	45.94
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,384	1666	36.53
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,732	1591	16.99
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,044	2554	NA
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,320	2401	NA
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,868	2144	23.51
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,313	2404	NA
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,951	2110	23.05
<u>Intel Core i7-3555LE @ 2.50GHz</u>	2,238	2454	NA
<u>Intel Core i7-3610QE @ 2.30GHz</u>	5,026	1550	NA
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,116	1532	17.05
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929	1564	NA
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,631	1611	NA
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,548	1444	NA
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,208	1522	NA
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,122	1529	22.37
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,675	1602	66.88
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,708	1593	NA
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,398	2349	NA
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,637	2234	NA
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,967	2597	NA
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,656	1424	56.59
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,713	1410	26.20
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,396	1293	127.95
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,465	1276	61.57
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,183	1333	82.44

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,272	2432	NA
<u>Intel Core i7-4558U @ 2.80GHz</u>	3,039	2075	NA
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	2111	NA
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,078	2056	NA
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,185	2013	NA
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,708	2203	NA
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,175	2019	NA
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446	2322	NA
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,414	2343	NA
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941	1562	NA
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,659	1423	14.78
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,340	1487	28.40
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,393	1479	NA
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,168	1524	14.68
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,518	1451	14.60
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,826	1394	21.45
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,317	1492	NA
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,279	1501	NA
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,741	1403	NA
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	1433	NA
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,640	1430	NA
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,300	1309	NA
<u>Intel Core i7-4765T @ 2.00GHz</u>	5,095	1537	10.21
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,052	1180	94.04
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,129	1344	NA
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,129	1171	73.58

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	6,034	1365	33.53
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,518	1267	80.92
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,217	1325	14.33
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,500	1454	NA
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,242	1322	NA
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,404	1292	NA
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	6,175	1334	11.11
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,296	1311	13.69
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,418	940	54.76
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,677	1245	6.09
<u>Intel Core i7-4940MX @ 3.10GHz</u>	7,080	1178	10.12
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,600	1251	10.59
<u>Intel Core i7-4960X @ 3.60GHz</u>	10,118	893	8.09
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,644	1249	NA
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,780	2172	NA
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,946	2115	NA
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,107	2039	5.13
<u>Intel Core i7-5600U @ 2.60GHz</u>	3,019	2079	NA
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,041	2073	NA
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089	1349	NA
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,803	1397	NA
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	6,063	1356	NA
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,654	1098	35.60
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,740	1085	NA
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,866	911	82.22
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036	1182	16.17

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,088	1055	67.41
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,517	1268	17.24
<u>Intel Core i7-6700K @ 4.00GHz</u>	8,948	983	66.29
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,251	1154	36.26
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,801	1224	NA
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,116	1173	11.50
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,765	856	80.82
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	7,010	1187	NA
<u>Intel Core i7-6820HK @ 2.70GHz</u>	7,004	1190	18.53
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,858	1214	NA
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241	1512	NA
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,423	816	91.20
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,535	666	90.84
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,348	1140	12.94
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,480	542	61.67
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,657	1851	6.78
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,738	1829	NA
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,198	1707	5.72
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,728	1833	NA
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,130	1725	NA
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,658	998	78.17
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,936	1205	18.35
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,660	925	60.73
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,582	1105	52.40
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,867	910	44.85
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,869	760	73.75

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,163	1337	10.02
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	1332	NA
<u>Intel Core i7-8569U @ 2.80GHz</u>	8,253	1038	19.15
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,290	1312	6.00
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,278	1314	8.91
<u>Intel Core i7-8665UE @ 1.70GHz</u>	5,118	1531	12.51
<u>Intel Core i7-8700 @ 3.20GHz</u>	12,929	755	92.36
<u>Intel Core i7-8700B @ 3.20GHz</u>	12,079	792	39.86
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,730	712	54.92
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,287	888	26.38
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,764	1083	5.06
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,108	1053	NA
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,926	1073	NA
<u>Intel Core i7-8750H @ 2.20GHz</u>	9,978	902	25.26
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,636	999	NA
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,319	886	26.12
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,293	733	79.46
<u>Intel Core i7-9700E @ 2.60GHz</u>	12,898	757	39.93
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,317	732	65.89
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,528	667	55.76
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,393	675	59.98
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,739	858	33.25
<u>Intel Core i7-9700TE @ 1.80GHz</u>	10,647	861	32.96
<u>Intel Core i7-9750H @ 2.60GHz</u>	10,998	841	11.46
<u>Intel Core i7-9750HF @ 2.60GHz</u>	10,771	854	27.27
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,131	523	60.71

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-10700TE @ 2.00GHz</u>	16,332	593	49.49
<u>Intel Core i7-10710U @ 1.10GHz</u>	9,733	919	15.09
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,068	793	NA
<u>Intel Core i7-10810U @ 1.10GHz</u>	8,204	1044	18.52
<u>Intel Core i7-10850H @ 2.70GHz</u>	11,912	797	30.16
<u>Intel Core i7-10870H @ 2.20GHz</u>	14,690	661	35.23
<u>Intel Core i7-10875H @ 2.30GHz</u>	15,141	641	33.65
<u>Intel Core i7-11370H @ 3.30GHz</u>	11,796	799	27.69
<u>Intel Core i7-11375H @ 3.30GHz</u>	12,159	786	25.23
<u>Intel Core i7-11390H @ 3.40GHz</u>	10,498	871	24.64
<u>Intel Core i7-11600H @ 2.90GHz</u>	15,919	606	40.30
<u>Intel Core i7-11700 @ 2.50GHz</u>	20,009	448	102.62
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,910	355	NA
<u>Intel Core i7-11700F @ 2.50GHz</u>	21,154	408	93.60
<u>Intel Core i7-11700K @ 3.60GHz</u>	24,668	306	89.35
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,090	317	91.60
<u>Intel Core i7-11700T @ 1.40GHz</u>	16,367	591	50.67
<u>Intel Core i7-11800H @ 2.30GHz</u>	20,838	423	52.76
<u>Intel Core i7-11850H @ 2.50GHz</u>	20,832	424	52.74
<u>Intel Core i7-11850HE @ 2.60GHz</u>	16,409	590	37.29
<u>Intel Core i7-12650H</u>	23,872	323	52.24
<u>Intel Core i7-12700</u>	31,021	190	95.30
<u>Intel Core i7-12700E</u>	28,292	229	82.24
<u>Intel Core i7-12700F</u>	31,033	189	108.89
<u>Intel Core i7-12700H</u>	26,590	265	58.18
<u>Intel Core i7-12700K</u>	34,763	149	85.00

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i7-13700H</u>	28,839	223	57.45
<u>Intel Core i7-13700HX</u>	34,748	150	71.64
<u>Intel Core i7-13700K</u>	46,910	83	114.98
<u>Intel Core i7-13700KF</u>	46,685	86	119.40
<u>Intel Core i7-13700T</u>	30,769	192	80.13
<u>Intel Core i7-13705H</u>	23,753	328	47.32
<u>Intel Core i7-13790F</u>	46,065	90	NA
<u>Intel Core i7-13800H</u>	27,877	241	61.00
<u>Intel Core i7-13850HX</u>	38,831	127	90.73
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,259	404	89.49
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,575	333	104.28
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,316	270	52.63
<u>Intel Core i9-7960X @ 2.80GHz</u>	28,216	233	76.68
<u>Intel Core i9-7980XE @ 2.60GHz</u>	30,417	200	39.34
<u>Intel Core i9-8950HK @ 2.90GHz</u>	10,605	863	18.19
<u>Intel Core i9-9820X @ 3.30GHz</u>	19,811	458	39.87
<u>Intel Core i9-9880H @ 2.30GHz</u>	13,871	704	24.95
<u>Intel Core i9-9900 @ 3.10GHz</u>	16,688	578	33.44
<u>Intel Core i9-9900K @ 3.60GHz</u>	18,451	509	32.66
<u>Intel Core i9-9900KF @ 3.60GHz</u>	18,447	510	49.19
<u>Intel Core i9-9900KS @ 4.00GHz</u>	19,544	470	20.41
<u>Intel Core i9-9900T @ 2.10GHz</u>	13,411	730	30.55
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,873	389	39.53
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,323	293	41.49
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,011	238	32.16
<u>Intel Core i9-9960X @ 3.10GHz</u>	30,010	206	21.46

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i9-10900T @ 1.90GHz</u>	14,951	647	42.72
<u>Intel Core i9-10900TE @ 1.80GHz</u>	16,914	567	38.09
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,487	368	37.17
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,751	392	NA
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,361	268	34.78
<u>Intel Core i9-10940X @ 3.30GHz</u>	27,837	242	31.03
<u>Intel Core i9-10980HK @ 2.40GHz</u>	15,794	612	27.09
<u>Intel Core i9-10980XE @ 3.00GHz</u>	32,880	169	29.32
<u>Intel Core i9-11900 @ 2.50GHz</u>	23,002	349	54.77
<u>Intel Core i9-11900F @ 2.50GHz</u>	22,756	359	54.31
<u>Intel Core i9-11900H @ 2.50GHz</u>	21,014	411	38.49
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,443	289	79.78
<u>Intel Core i9-11900KB @ 3.30GHz</u>	22,974	352	42.62
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,407	290	61.08
<u>Intel Core i9-11900T @ 1.50GHz</u>	18,879	491	43.00
<u>Intel Core i9-11950H @ 2.60GHz</u>	21,546	400	38.75
<u>Intel Core i9-11980HK @ 2.60GHz</u>	23,099	344	39.62
<u>Intel Core i9-12900</u>	34,642	152	76.98
<u>Intel Core i9-12900E</u>	26,582	266	NA
<u>Intel Core i9-12900F</u>	37,221	137	87.58
<u>Intel Core i9-12900H</u>	28,759	225	46.61
<u>Intel Core i9-12900HK</u>	28,170	235	44.36
<u>Intel Core i9-12900HX</u>	34,964	146	57.70
<u>Intel Core i9-12900K</u>	41,558	110	117.73
<u>Intel Core i9-12900KF</u>	41,334	112	103.60
<u>Intel Core i9-12900KS</u>	44,296	97	110.74

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Core i9-13900T</u>	44,056	99	80.25
<u>Intel Core i9-13905H</u>	32,407	179	46.49
<u>Intel Core i9-13950HX</u>	45,628	94	77.34
<u>Intel Core i9-13980HX</u>	48,495	77	72.60
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,165	2494	7.70
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,582	2259	NA
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,743	2188	NA
<u>Intel Core m3-8100Y @ 1.10GHz</u>	2,890	2138	10.29
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,325	2398	NA
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,352	2377	NA
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475	2921	NA
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,341	2391	NA
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,803	2702	NA
<u>Intel Core M-5Y10a @ 0.80GHz</u>	1,905	2639	NA
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,918	2626	6.83
<u>Intel Core M-5Y31 @ 0.90GHz</u>	1,922	2624	NA
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,154	2505	NA
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,791	2710	NA
<u>Intel Core M-5Y71 @ 1.20GHz</u>	2,031	2561	7.23
<u>Intel Core Solo T1300 @ 1.66GHz</u>	210	4227	NA
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	4256	NA
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	4163	NA
<u>Intel Core Solo U1300 @ 1.06GHz</u>	127	4348	NA
<u>Intel Core Solo U1400 @ 1.20GHz</u>	130	4345	NA
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164	4301	NA
<u>Intel N50</u>	2,350	2378	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium 4 2.26GHz</u>	151	4320	NA
<u>Intel Pentium 4 2.40GHz</u>	131	4344	NA
<u>Intel Pentium 4 2.50GHz</u>	160	4305	NA
<u>Intel Pentium 4 2.53GHz</u>	162	4303	NA
<u>Intel Pentium 4 2.60GHz</u>	215	4223	NA
<u>Intel Pentium 4 2.66GHz</u>	157	4309	NA
<u>Intel Pentium 4 2.80GHz</u>	237	4196	NA
<u>Intel Pentium 4 2.93GHz</u>	150	4321	NA
<u>Intel Pentium 4 3.00GHz</u>	310	4087	NA
<u>Intel Pentium 4 3.06GHz</u>	249	4171	NA
<u>Intel Pentium 4 3.20GHz</u>	331	4059	NA
<u>Intel Pentium 4 3.40GHz</u>	295	4104	NA
<u>Intel Pentium 4 3.46GHz</u>	295	4102	NA
<u>Intel Pentium 4 3.60GHz</u>	315	4078	NA
<u>Intel Pentium 4 3.73GHz</u>	385	3995	NA
<u>Intel Pentium 4 3.80GHz</u>	358	4017	NA
<u>Intel Pentium 4 3.83GHz</u>	154	4314	NA
<u>Intel Pentium 4 1300MHz</u>	77	4384	NA
<u>Intel Pentium 4 1400MHz</u>	83	4381	NA
<u>Intel Pentium 4 1500MHz</u>	81	4382	NA
<u>Intel Pentium 4 1700MHz</u>	100	4373	1.00
<u>Intel Pentium 4 1800MHz</u>	114	4365	NA
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116	4361	NA
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114	4364	NA
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136	4338	NA
<u>Intel Pentium 4 Mobile 2.00GHz</u>	132	4343	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,325	3023	6.14
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,048	3284	NA
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,035	3291	NA
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,552	2858	NA
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	3475	NA
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,178	3157	NA
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,354	3005	NA
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,075	2535	NA
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,526	2889	NA
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,444	2944	8.97
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,216	2468	NA
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,590	2833	9.87
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,260	2438	14.04
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,690	2772	10.49
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,269	2435	14.09
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,345	2388	14.57
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,424	1652	27.48
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,193	3139	NA
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,249	3087	NA
<u>Intel Pentium B940 @ 2.00GHz</u>	856	3468	12.53
<u>Intel Pentium B950 @ 2.10GHz</u>	1,005	3326	NA
<u>Intel Pentium B960 @ 2.20GHz</u>	953	3385	24.64
<u>Intel Pentium B970 @ 2.30GHz</u>	1,090	3236	21.37
<u>Intel Pentium B980 @ 2.40GHz</u>	1,068	3262	29.81
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	1990	25.12
<u>Intel Pentium D 3.40GHz</u>	736	3605	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium E2210 @ 2.20GHz</u>	702	3650	NA
<u>Intel Pentium E2220 @ 2.40GHz</u>	804	3527	36.55
<u>Intel Pentium E5200 @ 2.50GHz</u>	871	3452	17.44
<u>Intel Pentium E5300 @ 2.60GHz</u>	920	3415	15.46
<u>Intel Pentium E5400 @ 2.70GHz</u>	953	3386	11.24
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,015	3311	63.50
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,071	3255	35.70
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,152	3176	11.50
<u>Intel Pentium E6300 @ 2.80GHz</u>	1,027	3299	24.55
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,135	3195	33.38
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,097	3229	36.64
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,178	3158	40.61
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,166	3164	46.74
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469	3906	15.02
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987	3345	NA
<u>Intel Pentium G620 @ 2.60GHz</u>	1,214	3121	101.15
<u>Intel Pentium G620T @ 2.20GHz</u>	896	3430	44.84
<u>Intel Pentium G630 @ 2.70GHz</u>	1,309	3035	34.93
<u>Intel Pentium G630T @ 2.30GHz</u>	1,090	3235	12.97
<u>Intel Pentium G640 @ 2.80GHz</u>	1,337	3015	44.56
<u>Intel Pentium G640T @ 2.40GHz</u>	1,139	3188	12.25
<u>Intel Pentium G645 @ 2.90GHz</u>	1,367	2999	16.47
<u>Intel Pentium G645T @ 2.50GHz</u>	1,201	3128	5.37
<u>Intel Pentium G840 @ 2.80GHz</u>	1,238	3093	21.48
<u>Intel Pentium G850 @ 2.90GHz</u>	1,412	2969	42.41
<u>Intel Pentium G860 @ 3.00GHz</u>	1,459	2931	19.99

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,898	2646	31.16
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,593	2831	39.55
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,939	2614	26.20
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,603	2826	NA
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,963	2599	34.80
<u>Intel Pentium G3250T @ 2.80GHz</u>	1,754	2739	35.10
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,070	2538	38.85
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,076	2533	17.58
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755	2738	35.10
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,570	2848	NA
<u>Intel Pentium G3420 @ 3.20GHz</u>	1,973	2595	37.22
<u>Intel Pentium G3420T @ 2.70GHz</u>	1,912	2633	11.95
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,127	2513	21.70
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,207	2472	14.71
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107	2521	NA
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,167	2493	40.20
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016	2569	NA
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,191	2481	33.97
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428	2332	7.73
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,585	2256	92.37
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,330	2397	15.74
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,190	2482	34.23
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,766	2179	30.73
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,391	2353	NA
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,758	2183	53.41
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,518	1885	87.92

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,185	2015	35.41
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,674	1847	64.35
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	3,452	1906	53.94
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,840	1796	70.27
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,259	1983	43.45
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	3,741	1827	45.46
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,122	1728	58.89
<u>Intel Pentium Gold G5600T @ 3.30GHz</u>	3,601	1866	NA
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102	1731	23.53
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,137	1723	66.78
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,588	1868	56.07
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,257	1690	59.20
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,746	1824	58.53
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,170	1713	47.39
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005	1760	53.40
<u>Intel Pentium Gold G6505 @ 4.20GHz</u>	4,378	1668	58.37
<u>Intel Pentium Gold G6505T @ 3.60GHz</u>	3,698	1840	41.08
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,338	1674	18.08
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,438	1646	30.59
<u>Intel Pentium Gold G7400</u>	6,786	1231	75.41
<u>Intel Pentium Gold G7400T</u>	5,673	1419	88.64
<u>Intel Pentium III 1400 @ 1400MHz</u>	193	4258	NA
<u>Intel Pentium III 1400S @ 1400MHz</u>	194	4254	NA
<u>Intel Pentium III Mobile 800MHz</u>	119	4359	1.51
<u>Intel Pentium III Mobile 866MHz</u>	99	4374	NA
<u>Intel Pentium III Mobile 1066MHz</u>	160	4304	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium M 1.50GHz</u>	240	4184	NA
<u>Intel Pentium M 1.60GHz</u>	194	4255	NA
<u>Intel Pentium M 1.70GHz</u>	239	4185	NA
<u>Intel Pentium M 1.73GHz</u>	205	4236	NA
<u>Intel Pentium M 1.80GHz</u>	280	4125	NA
<u>Intel Pentium M 1.86GHz</u>	222	4215	NA
<u>Intel Pentium M 2.00GHz</u>	270	4139	NA
<u>Intel Pentium M 2.10GHz</u>	292	4112	NA
<u>Intel Pentium M 2.13GHz</u>	271	4137	NA
<u>Intel Pentium M 2.26GHz</u>	227	4209	NA
<u>Intel Pentium M 900MHz</u>	141	4332	NA
<u>Intel Pentium M 1000MHz</u>	156	4312	NA
<u>Intel Pentium M 1200MHz</u>	155	4313	NA
<u>Intel Pentium M 1300MHz</u>	197	4246	NA
<u>Intel Pentium M 1400MHz</u>	208	4229	NA
<u>Intel Pentium M 1500MHz</u>	188	4266	NA
<u>Intel Pentium M 1600MHz</u>	193	4259	NA
<u>Intel Pentium M 1700MHz</u>	237	4192	NA
<u>Intel Pentium N3510 @ 1.99GHz</u>	878	3446	NA
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,143	3184	NA
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,192	3140	NA
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,211	3123	4.83
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,249	3088	2.81
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,378	2989	NA
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,167	2492	9.48
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760	1819	47.00

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Pentium SU2700 @ 1.30GHz</u>	239	4187	NA
<u>Intel Pentium SU4100 @ 1.30GHz</u>	485	3891	NA
<u>Intel Pentium T2060 @ 1.60GHz</u>	330	4060	NA
<u>Intel Pentium T2080 @ 1.73GHz</u>	348	4029	2.32
<u>Intel Pentium T2130 @ 1.86GHz</u>	382	4000	NA
<u>Intel Pentium T2310 @ 1.46GHz</u>	536	3838	NA
<u>Intel Pentium T2330 @ 1.60GHz</u>	538	3837	3.59
<u>Intel Pentium T2370 @ 1.73GHz</u>	543	3833	21.71
<u>Intel Pentium T2390 @ 1.86GHz</u>	570	3800	NA
<u>Intel Pentium T2410 @ 2.00GHz</u>	565	3808	NA
<u>Intel Pentium T3200 @ 2.00GHz</u>	623	3736	51.91
<u>Intel Pentium T3400 @ 2.16GHz</u>	650	3709	8.14
<u>Intel Pentium T4200 @ 2.00GHz</u>	729	3616	7.37
<u>Intel Pentium T4300 @ 2.10GHz</u>	772	3565	7.80
<u>Intel Pentium T4400 @ 2.20GHz</u>	759	3579	6.91
<u>Intel Pentium T4500 @ 2.30GHz</u>	819	3507	27.36
<u>Intel Pentium U5400 @ 1.20GHz</u>	538	3836	NA
<u>Intel Pentium U5600 @ 1.33GHz</u>	624	3735	NA
<u>Intel T1400 @ 1.73GHz</u>	548	3824	36.56
<u>Intel T1500 @ 1.86GHz</u>	548	3825	NA
<u>Intel T2050 @ 2.00GHz</u>	516	3859	NA
<u>Intel U300</u>	9,114	967	47.22
<u>Intel Xeon 2.00GHz</u>	152	4319	NA
<u>Intel XEON 2.20GHz</u>	164	4298	NA
<u>Intel Xeon 2.40GHz</u>	180	4279	19.73
<u>Intel Xeon 2.80GHz</u>	260	4158	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096	3230	3.13
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070	3258	NA
<u>Intel Xeon 5110 @ 1.60GHz</u>	600	3756	17.14
<u>Intel Xeon 5120 @ 1.86GHz</u>	763	3576	1.94
<u>Intel Xeon 5130 @ 2.00GHz</u>	795	3540	16.22
<u>Intel Xeon 5133 @ 2.20GHz</u>	887	3440	NA
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	3466	23.16
<u>Intel Xeon 5148 @ 2.33GHz</u>	912	3416	45.62
<u>Intel Xeon 5150 @ 2.66GHz</u>	924	3411	29.80
<u>Intel Xeon 5160 @ 3.00GHz</u>	963	3370	22.14
<u>Intel Xeon @ 2.00GHz</u>	7,363	1137	NA
<u>Intel Xeon @ 2.20GHz</u>	1,324	3025	NA
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,576	1618	10.91
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,769	1402	14.02
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,843	1575	29.92
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,830	1578	NA
<u>Intel Xeon D-1520 @ 2.20GHz</u>	4,917	1566	NA
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,897	1380	NA
<u>Intel Xeon D-1527 @ 2.20GHz</u>	5,213	1520	24.48
<u>Intel Xeon D-1528 @ 1.90GHz</u>	6,396	1294	NA
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,483	1120	21.50
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176	1162	12.57
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175	1164	14.76
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,061	899	NA
<u>Intel Xeon D-1541 @ 2.10GHz</u>	10,191	892	NA
<u>Intel Xeon D-1548 @ 2.00GHz</u>	9,075	974	16.35

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon D-1732TE @ 1.90GHz</u>	14,254	688	18.78
<u>Intel Xeon D-1733NT @ 2.00GHz</u>	14,849	652	20.62
<u>Intel Xeon D-1736NT @ 2.70GHz</u>	17,826	530	NA
<u>Intel Xeon D-1747NTE @ 2.50GHz</u>	19,822	457	16.50
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	6,841	1215	32.12
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,117	789	21.83
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	12,461	777	22.02
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,736	806	18.31
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	15,105	643	15.03
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	18,385	512	10.42
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	526	9.08
<u>Intel Xeon D-2712T @ 1.90GHz</u>	7,990	1070	22.01
<u>Intel Xeon D-2733NT @ 2.10GHz</u>	16,206	597	20.26
<u>Intel Xeon D-2752TER @ 1.80GHz</u>	19,102	483	17.30
<u>Intel Xeon D-2795NT @ 2.00GHz</u>	28,463	227	12.77
<u>Intel Xeon D-2796TE @ 2.00GHz</u>	26,342	269	12.06
<u>Intel Xeon D-2799 @ 2.40GHz</u>	33,792	159	17.48
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682	1417	29.44
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,868	1787	148.82
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,652	1605	273.82
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,157	1526	57.30
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	5,790	1400	57.97
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,737	1405	15.94
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,274	2429	NA
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,452	2319	13.80
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	2973	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	5,268	1503	21.07
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	7,030	1183	95.00
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	5,030	1549	22.97
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013	1551	NA
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,388	1480	40.82
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,350	1300	31.97
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	7,081	1177	38.79
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,286	1036	47.76
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,688	995	28.49
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,495	1456	6.14
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,173	1335	22.21
<u>Intel Xeon E3-1241 v3 @ 3.50GHz</u>	7,145	1168	28.58
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,325	1489	21.73
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,321	1305	17.20
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,058	1179	22.27
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,037	1063	23.76
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,689	994	14.73
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,295	1148	21.17
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	4,057	1746	15.02
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	8,226	1042	31.80
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,411	1919	12.68
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	5,056	1546	10.91
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	6,153	1339	21.47
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954	1203	NA
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,475	1460	NA
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,079	1352	13.32

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,284	951	26.02
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,192	1331	NA
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,433	1127	8.99
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,615	1434	15.69
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	6,545	1261	17.08
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,402	1134	29.73
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,377	1029	5.86
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,028	979	16.41
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,410	1132	13.57
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,974	1199	NA
<u>Intel Xeon E3-1285 v4 @ 3.50GHz</u>	7,770	1082	NA
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	8,536	1011	8.99
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,819	1220	7.59
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	8,074	1057	8.25
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418	1129	8.84
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450	1281	8.33
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	4,988	1554	5.64
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,529	1265	7.38
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	5,301	1497	NA
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088	1351	NA
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	6,990	1193	NA
<u>Intel Xeon E3-1505M v6 @ 3.00GHz</u>	7,385	1136	NA
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938	1072	NA
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,527	1108	12.08
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,031	1064	12.89
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,784	1079	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,958	1560	NA
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,238	1514	29.42
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,863	1388	13.23
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	6,542	1262	21.48
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,989	1194	65.93
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,425	1128	49.83
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,397	1135	5.46
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,656	1097	NA
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,094	1054	77.82
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,324	948	39.17
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,437	876	75.35
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	11,476	814	26.69
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,378	1028	31.35
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	10,339	883	20.72
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,591	774	31.56
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,500	722	9.04
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,710	768	NA
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,086	747	22.18
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	13,817	709	9.22
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820	655	NA
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,346	2386	8.74
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	2142	52.23
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,658	2226	68.14
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	3,504	1889	23.62
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,518	1886	NA
<u>Intel Xeon E5-2418L v2 @ 2.00GHz</u>	5,380	1482	8.86

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,880	1385	75.39
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,295	1034	66.01
<u>Intel Xeon E5-2470 v2 @ 2.40GHz</u>	10,512	870	350.51
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,362	2373	81.46
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,751	2187	53.94
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,815	1804	735.03
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1598	26.53
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	1289	14.55
<u>Intel Xeon E5-2608L v4 @ 1.60GHz</u>	7,447	1124	20.51
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,794	2166	96.36
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,500	1891	120.68
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,444	1643	153.24
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,443	1466	139.56
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,881	848	10.56
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,406	778	13.75
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,286	1500	68.65
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,257	1319	215.76
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,841	1076	603.66
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,210	958	187.96
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,790	1229	29.53
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,955	1202	703.23
<u>Intel Xeon E5-2628 v3 @ 2.50GHz</u>	8,447	1020	NA
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181	1161	NA
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	907	NA
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	835	8.12
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139	965	18.28

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	7,339	1142	188.18
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,308	1308	217.52
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,628	1101	76.28
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,198	827	862.04
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	12,103	791	60.52
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,506	1452	2.89
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,134	966	457.83
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,444	875	497.56
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,081	833	35.75
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	5,262	1507	NA
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,828	989	9.34
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	913	16.40
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547	811	8.34
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	12,399	779	NA
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,412	1130	255.58
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,951	906	255.15
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,995	795	750.18
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	13,984	696	358.56
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	6,005	1372	207.06
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,586	1104	194.51
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,926	796	8.74
<u>Intel Xeon E5-2650L v4 @ 1.70GHz</u>	12,646	771	21.21
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,408	942	33.83
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073	1353	4.50
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,559	866	83.31
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487	725	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,554	776	66.42
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	13,952	699	18.97
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107	600	NA
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,931	984	496.42
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,338	820	436.25
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,822	708	354.40
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	12,128	787	NA
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,171	692	20.24
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	21,576	399	11.06
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	13,180	744	NA
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	13,722	713	NA
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	487	NA
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,742	657	138.83
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	24,131	316	8.93
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,414	941	324.62
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,600	773	323.07
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,322	632	85.12
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	17,956	529	239.73
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	16,865	569	NA
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	19,702	463	NA
<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	14,830	653	17.01
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,537	540	71.58
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	754	NA
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148	522	NA
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	21,084	409	NA
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,982	901	15.37

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	16,734	574	78.49
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	19,862	454	41.60
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,181	691	NA
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	23,023	346	42.09
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	24,595	308	12.57
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,317	683	86.77
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	18,919	490	111.29
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	20,352	438	48.23
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,616	396	NA
<u>Intel Xeon E5-2697R v4 @ 2.30GHz</u>	20,843	422	NA
<u>Intel Xeon E5-2698 v3 @ 2.30GHz</u>	18,962	488	2.42
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	23,138	343	25.46
<u>Intel Xeon E5-2698B v3 @ 2.00GHz</u>	16,633	581	NA
<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	25,605	284	NA
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	20,109	443	34.09
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	24,859	300	6.18
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	22,586	366	4.57
<u>Intel Xeon E5-2699C v4 @ 2.20GHz</u>	22,308	372	NA
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,391	1931	25.65
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	1196	95.96
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460	1277	30.58
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	1157	5.93
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298	1310	175.52
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830	1218	136.59
<u>Intel Xeon E5-4620 v2 @ 2.60GHz</u>	9,540	932	104.83
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,525	868	521.58

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	11,553	810	15.38
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	687	2.97
<u>Intel Xeon E5-4660 v4 @ 2.20GHz</u>	15,375	629	4.26
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397	628	2.69
<u>Intel Xeon E5-4667 v4 @ 2.20GHz</u>	20,319	440	3.55
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430	547	3.23
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523	813	NA
<u>Intel Xeon E7-8880 v3 @ 2.30GHz</u>	18,244	517	137.17
<u>Intel Xeon E7-8891 v3 @ 2.80GHz</u>	21,615	397	3.16
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027	2564	1.14
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	3092	6.21
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429	2952	145.96
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,408	2971	NA
<u>Intel Xeon E5205 @ 1.86GHz</u>	838	3491	58.75
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448	2939	16.32
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306	3037	26.65
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,469	2925	37.91
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549	2866	87.15
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,868	2663	124.61
<u>Intel Xeon E5405 @ 2.00GHz</u>	1,702	2764	7.23
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,990	2582	186.12
<u>Intel Xeon E5420 @ 2.50GHz</u>	2,005	2575	8.02
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,224	2464	9.67
<u>Intel Xeon E5440 @ 2.83GHz</u>	2,369	2365	62.36
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,503	2295	67.67
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,110	2519	9.33

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,686	2212	77.02
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,502	1890	120.77
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,754	1821	24.38
<u>Intel Xeon E5640 @ 2.67GHz</u>	3,842	1795	132.47
<u>Intel Xeon E5645 @ 2.40GHz</u>	4,929	1563	35.98
<u>Intel Xeon E5649 @ 2.53GHz</u>	5,265	1505	405.32
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469	2924	NA
<u>Intel Xeon E-2104G @ 3.20GHz</u>	5,944	1377	11.66
<u>Intel Xeon E-2124 @ 3.30GHz</u>	7,012	1185	22.09
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,446	1125	21.28
<u>Intel Xeon E-2126G @ 3.30GHz</u>	10,729	859	31.56
<u>Intel Xeon E-2134 @ 3.50GHz</u>	9,081	972	49.20
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,443	728	31.51
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,186	960	27.68
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,255	735	26.74
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,714	923	31.80
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,586	718	34.84
<u>Intel Xeon E-2176M @ 2.70GHz</u>	10,849	850	24.11
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,956	698	32.46
<u>Intel Xeon E-2186M @ 2.90GHz</u>	11,457	815	18.39
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,285	1149	29.01
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,625	1102	28.45
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,073	837	33.42
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,903	909	31.95
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,251	689	28.51
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,582	931	28.62

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,124	642	11.01
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,358	549	32.20
<u>Intel Xeon E-2314 @ 2.80GHz</u>	8,227	1041	33.60
<u>Intel Xeon E-2324G @ 3.10GHz</u>	10,524	869	38.98
<u>Intel Xeon E-2334 @ 3.40GHz</u>	13,189	741	43.24
<u>Intel Xeon E-2336 @ 2.90GHz</u>	16,640	580	47.82
<u>Intel Xeon E-2356G @ 3.20GHz</u>	19,559	469	58.74
<u>Intel Xeon E-2374G @ 3.70GHz</u>	13,860	705	34.65
<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,215	555	36.72
<u>Intel Xeon E-2378G @ 2.80GHz</u>	22,467	369	34.07
<u>Intel Xeon E-2386G @ 3.50GHz</u>	19,576	467	40.61
<u>Intel Xeon E-2388G @ 3.20GHz</u>	23,668	332	43.91
<u>Intel Xeon Gold 5115 @ 2.40GHz</u>	14,649	664	21.70
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816	611	NA
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,570	583	36.91
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	17,686	537	11.33
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	18,127	524	10.50
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,878	987	22.25
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,624	619	16.42
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,429	627	14.77
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	21,876	387	22.39
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	25,916	279	32.72
<u>Intel Xeon Gold 5218T @ 2.10GHz</u>	21,433	401	15.89
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	24,154	315	23.70
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	33,370	163	25.28
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,504	935	7.81

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,804	391	8.55
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	22,696	361	90.06
<u>Intel Xeon Gold 6133 @ 2.50GHz</u>	1,172	3159	NA
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,651	579	73.03
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	21,413	403	53.67
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	475	NA
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	20,017	446	47.01
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	24,800	302	7.41
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	23,782	326	100.13
<u>Intel Xeon Gold 6142 @ 2.60GHz</u>	27,114	259	114.16
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786	303	NA
<u>Intel Xeon Gold 6144 @ 3.50GHz</u>	20,852	420	11.03
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,296	337	15.70
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	28,993	218	73.24
<u>Intel Xeon Gold 6150 @ 2.70GHz</u>	26,905	262	59.92
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	24,680	304	72.38
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	29,488	211	17.38
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	27,085	260	37.74
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915	219	12.34
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	27,470	250	13.73
<u>Intel Xeon Gold 6226 @ 2.70GHz</u>	19,810	459	18.89
<u>Intel Xeon Gold 6226R @ 2.90GHz</u>	26,240	274	21.88
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	27,069	261	21.20
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	34,183	155	24.96
<u>Intel Xeon Gold 6234 @ 3.30GHz</u>	17,752	534	12.46
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	27,617	247	3.75

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	28,549	226	NA
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356	213	12.77
<u>Intel Xeon Gold 6262V @ 1.90GHz</u>	3,155	2024	0.95
<u>Intel Xeon Gold 6268CL @ 2.80GHz</u>	36,878	139	NA
<u>Intel Xeon Gold 6278C @ 2.60GHz</u>	32,835	170	NA
<u>Intel Xeon Gold 6312U @ 2.40GHz</u>	43,710	100	24.15
<u>Intel Xeon Gold 6314U @ 2.30GHz</u>	46,039	91	16.55
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,224	144	26.10
<u>Intel Xeon Gold 6330 @ 2.00GHz</u>	43,056	104	35.00
<u>Intel Xeon Gold 6334 @ 3.60GHz</u>	22,160	375	9.54
<u>Intel Xeon Gold 6336Y @ 2.40GHz</u>	45,517	95	23.58
<u>Intel Xeon Gold 6338 @ 2.00GHz</u>	33,814	158	20.84
<u>Intel Xeon Gold 6338N @ 2.20GHz</u>	46,583	87	9.97
<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	47,320	81	19.82
<u>Intel Xeon Gold 6346 @ 3.10GHz</u>	37,722	133	24.43
<u>Intel Xeon Gold 6348 @ 2.60GHz</u>	52,276	63	24.59
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,445	111	15.03
<u>Intel Xeon Gold 6414U</u>	57,200	52	24.91
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	3014	NA
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,306	2412	25.84
<u>Intel Xeon L3406 @ 2.27GHz</u>	928	3410	3.60
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,590	2252	12.95
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	3016	42.57
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385	2985	12.31
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118	3208	15.97
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,678	2778	89.29

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon L7455 @ 2.13GHz</u>	2,494	2300	NA
<u>Intel Xeon MV 3.20GHz</u>	582	3787	NA
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	27,336	254	NA
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,591	1253	NA
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	27,968	239	12.19
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396	291	NA
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	32,549	176	14.20
<u>Intel Xeon Platinum 8171M @ 2.60GHz</u>	30,632	194	NA
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	31,837	183	NA
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	264	NA
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179	342	8.30
<u>Intel Xeon Platinum 8180 @ 2.50GHz</u>	35,208	145	8.85
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	30,463	199	NA
<u>Intel Xeon Platinum 8260 @ 2.40GHz</u>	29,360	212	10.73
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	157	4.41
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	31,632	184	5.27
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794	118	NA
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	32,781	172	7.43
<u>Intel Xeon Platinum 8347C @ 2.10GHz</u>	49,386	70	NA
<u>Intel Xeon Platinum 8358 @ 2.60GHz</u>	54,416	60	10.67
<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	56,642	54	NA
<u>Intel Xeon Platinum 8380 @ 2.30GHz</u>	62,318	39	6.94
<u>Intel Xeon Platinum P-8124 @ 3.00GHz</u>	22,674	362	NA
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	8,808	990	35.24
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	882	14.95
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,103	895	111.02

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	16,442	586	29.35
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439	672	27.37
<u>Intel Xeon Silver 4215R @ 3.20GHz</u>	15,056	644	21.66
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	20,613	432	27.48
<u>Intel Xeon Silver 4309Y @ 2.80GHz</u>	19,227	478	44.27
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	22,797	357	54.34
<u>Intel Xeon Silver 4310T @ 2.30GHz</u>	20,973	415	26.75
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	29,283	216	55.70
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	37,264	136	40.29
<u>Intel Xeon Silver 4410T</u>	28,859	221	46.25
<u>Intel Xeon Silver 4410Y</u>	28,887	220	51.31
<u>Intel Xeon w3-2423</u>	16,699	577	NA
<u>Intel Xeon w3-2435</u>	27,287	255	40.79
<u>Intel Xeon w5-2445</u>	34,095	156	40.64
<u>Intel Xeon w5-2455X</u>	40,585	120	39.06
<u>Intel Xeon w5-2465X</u>	47,001	82	33.84
<u>Intel Xeon w5-3425</u>	38,056	132	32.01
<u>Intel Xeon w5-3435X</u>	46,881	84	29.50
<u>Intel Xeon w7-2475X</u>	52,122	64	29.13
<u>Intel Xeon w7-2495X</u>	61,406	41	23.58
<u>Intel Xeon w7-3445</u>	43,341	101	21.79
<u>Intel Xeon w7-3465X</u>	72,272	24	25.02
<u>Intel Xeon w9-3475X</u>	67,802	29	18.13
<u>Intel Xeon w9-3495X</u>	98,296	4	16.69
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,069	3259	107.03
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,153	3174	77.58

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,342	1948	2.38
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,646	716	40.92
<u>Intel Xeon W-1250E @ 3.50GHz</u>	13,888	703	53.42
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,440	671	44.91
<u>Intel Xeon W-1270 @ 3.40GHz</u>	17,820	531	49.23
<u>Intel Xeon W-1270E @ 3.40GHz</u>	18,635	502	50.78
<u>Intel Xeon W-1270P @ 3.80GHz</u>	18,553	504	23.49
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553	719	36.93
<u>Intel Xeon W-1290 @ 3.20GHz</u>	20,157	442	34.24
<u>Intel Xeon W-1290E @ 3.50GHz</u>	18,786	496	37.57
<u>Intel Xeon W-1290P @ 3.70GHz</u>	22,730	360	35.00
<u>Intel Xeon W-1290T @ 1.90GHz</u>	18,409	511	37.27
<u>Intel Xeon W-1350 @ 3.30GHz</u>	19,015	484	56.59
<u>Intel Xeon W-1350P @ 4.00GHz</u>	19,853	455	53.33
<u>Intel Xeon W-1370 @ 2.90GHz</u>	23,908	321	50.98
<u>Intel Xeon W-1370P @ 3.60GHz</u>	24,961	298	49.04
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,902	322	41.64
<u>Intel Xeon W-1390P @ 3.50GHz</u>	25,451	288	NA
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,081	1543	17.71
<u>Intel Xeon W-2104 @ 3.20GHz</u>	5,726	1408	22.45
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,485	1015	19.87
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,018	900	17.73
<u>Intel Xeon W-2133 @ 3.60GHz</u>	12,630	772	20.47
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,277	685	14.17
<u>Intel Xeon W-2140B @ 3.20GHz</u>	17,306	552	NA
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,204	520	14.86

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon W-2265 @ 3.50GHz</u>	25,965	278	22.15
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,940	240	13.58
<u>Intel Xeon W-2295 @ 3.00GHz</u>	30,510	197	18.27
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167	138	13.97
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,382	548	21.18
<u>Intel Xeon W-3235 @ 3.30GHz</u>	26,092	277	13.05
<u>Intel Xeon W-3245 @ 3.20GHz</u>	30,317	202	11.30
<u>Intel Xeon W-3245M @ 3.20GHz</u>	29,277	217	5.85
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105	205	6.61
<u>Intel Xeon W-3265M @ 2.70GHz</u>	32,025	182	5.04
<u>Intel Xeon W-3275 @ 2.50GHz</u>	42,276	106	8.64
<u>Intel Xeon W-3275M @ 2.50GHz</u>	39,979	122	5.36
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875	280	27.27
<u>Intel Xeon W-3335 @ 3.40GHz</u>	39,293	124	30.25
<u>Intel Xeon W-3345 @ 3.00GHz</u>	48,261	78	19.31
<u>Intel Xeon W-3365 @ 2.70GHz</u>	59,038	48	15.33
<u>Intel Xeon W-3375 @ 2.50GHz</u>	59,069	47	13.13
<u>Intel Xeon W-10855M @ 2.80GHz</u>	12,897	758	28.66
<u>Intel Xeon W-10885M @ 2.40GHz</u>	15,746	613	25.28
<u>Intel Xeon W-11555MLE @ 1.90GHz</u>	12,591	775	36.18
<u>Intel Xeon W-11555MRE @ 2.60GHz</u>	17,484	541	53.63
<u>Intel Xeon W-11855M @ 3.20GHz</u>	18,295	515	40.66
<u>Intel Xeon W-11865MLE @ 1.50GHz</u>	15,958	604	34.17
<u>Intel Xeon W-11865MRE @ 2.60GHz</u>	23,702	330	49.38
<u>Intel Xeon W-11955M @ 2.60GHz</u>	23,015	347	36.94
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,293	3049	6.96

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,304	2415	31.10
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,742	2189	63.77
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,829	2155	72.53
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,986	2096	40.89
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,240	1989	34.27
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,255	1984	NA
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238	3094	95.20
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524	2893	NA
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	2936	10.36
<u>Intel Xeon X5355 @ 2.66GHz</u>	1,979	2589	6.60
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331	2396	37.01
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,455	2318	49.13
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,576	2264	11.74
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,898	2137	16.11
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,197	2476	9.76
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,755	2184	27.56
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,912	2130	2.09
<u>Intel Xeon X5550 @ 2.67GHz</u>	3,015	2082	103.98
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,124	2033	31.24
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,261	1982	32.61
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,441	1645	222.81
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,701	1414	59.05
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,046	1362	61.78
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,579	1617	253.81
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,090	1348	60.90
<u>Intel Xeon X5672 @ 3.20GHz</u>	4,982	1555	110.75

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Manta</u>	356	4022	NA
<u>Mars based on Qualcomm Technologies, Inc SM8350</u>	5,230	1518	NA
<u>MediaTek MT6735</u>	507	3869	NA
<u>MediaTek MT6737</u>	457	3916	NA
<u>MediaTek MT6737M</u>	355	4024	NA
<u>MediaTek MT6737T</u>	653	3705	NA
<u>MediaTek MT6739WA</u>	397	3981	NA
<u>MediaTek MT6739WW</u>	429	3938	NA
<u>MediaTek MT6750</u>	1,034	3293	NA
<u>MediaTek MT6750T</u>	1,183	3148	NA
<u>MediaTek MT6750V/WT</u>	1,112	3215	NA
<u>MediaTek MT6753</u>	984	3348	NA
<u>MediaTek MT6753T</u>	1,149	3180	NA
<u>MediaTek MT6757CD</u>	1,733	2744	NA
<u>MediaTek MT6757V</u>	1,550	2864	NA
<u>Mediatek MT6761V/CAB</u>	1,050	3281	NA
<u>MediaTek MT6761V/WBB</u>	724	3621	NA
<u>MediaTek MT6761V/WE</u>	720	3624	NA
<u>MediaTek MT6762G</u>	1,190	3143	NA
<u>MediaTek MT6762V/CA</u>	1,152	3177	NA
<u>MediaTek MT6762V/CB</u>	1,534	2879	NA
<u>MediaTek MT6762V/CN</u>	601	3754	NA
<u>MediaTek MT6762V/WA</u>	1,461	2928	NA
<u>MediaTek MT6762V/WB</u>	1,415	2965	NA
<u>MediaTek MT6762V/WD</u>	1,541	2874	NA
<u>MediaTek MT6762V/WR</u>	1,527	2885	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Mediatek MT6769H</u>	2,957	2108	NA
<u>MediaTek MT6769T</u>	2,460	2312	NA
<u>MediaTek MT6769V/CB</u>	2,349	2381	NA
<u>Mediatek MT6769V/CT</u>	2,378	2361	NA
<u>MediaTek MT6769V/CU</u>	2,566	2269	NA
<u>Mediatek MT6769V/CZ</u>	3,023	2078	NA
<u>MediaTek MT6769V/WB</u>	2,192	2480	NA
<u>MediaTek MT6769Z</u>	2,433	2331	NA
<u>MediaTek MT6771V/C</u>	2,599	2246	NA
<u>MediaTek MT6771V/CT</u>	2,582	2260	NA
<u>MediaTek MT6771V/W</u>	2,390	2355	NA
<u>MediaTek MT6771V/WM</u>	2,186	2487	NA
<u>MediaTek MT6771V/WT</u>	2,345	2389	NA
<u>Mediatek MT6779</u>	3,018	2080	NA
<u>MediaTek MT6779V/CE</u>	2,902	2135	NA
<u>MediaTek MT6779V/CU</u>	2,634	2235	NA
<u>MediaTek MT6779V/CV</u>	2,712	2201	NA
<u>Mediatek MT6781</u>	3,678	1846	NA
<u>Mediatek MT6781V/CD</u>	4,071	1743	NA
<u>Mediatek MT6781V/CDZAMB-H</u>	4,514	1633	NA
<u>Mediatek MT6785</u>	4,181	1712	NA
<u>MediaTek MT6785V/CC</u>	3,305	1962	NA
<u>MediaTek MT6785V/CD</u>	3,570	1874	NA
<u>MediaTek MT6789</u>	4,248	1696	NA
<u>Mediatek MT6789V/CD</u>	4,296	1682	NA
<u>MediaTek MT6797</u>	1,733	2743	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Mediatek MT6855V/AZA</u>	4,000	1764	NA
<u>MediaTek MT6873</u>	4,050	1751	NA
<u>Mediatek MT6875</u>	5,148	1527	NA
<u>Mediatek MT6877</u>	5,238	1515	NA
<u>Mediatek MT6877V/TTZA</u>	4,869	1571	NA
<u>Mediatek MT6877V/TZA</u>	5,066	1545	NA
<u>Mediatek MT6877V/ZA</u>	4,965	1557	NA
<u>Mediatek MT6879V/ZA</u>	5,278	1502	NA
<u>Mediatek MT6883Z/CZA</u>	6,413	1290	NA
<u>Mediatek MT6886</u>	4,420	1654	NA
<u>Mediatek MT6891</u>	6,497	1272	NA
<u>Mediatek MT6891Z_Z/CZA</u>	6,531	1264	NA
<u>Mediatek MT6893</u>	5,843	1390	NA
<u>Mediatek MT6893Z_T/CZA</u>	6,792	1227	NA
<u>MediaTek MT6895</u>	7,611	1103	NA
<u>Mediatek MT6895Z/TCZA</u>	4,275	1687	NA
<u>Mediatek MT6895Z_A/TCZA</u>	7,490	1117	NA
<u>Mediatek MT6895Z_B/TCZA</u>	7,210	1158	NA
<u>Mediatek MT6896Z/CZA</u>	8,565	1009	NA
<u>MediaTek MT6983</u>	7,160	1167	NA
<u>Mediatek MT6983W/CZA</u>	8,565	1008	NA
<u>MediaTek MT8163</u>	602	3751	NA
<u>MediaTek MT8166B</u>	953	3384	NA
<u>MediaTek MT8167B</u>	366	4012	NA
<u>MediaTek MT8168</u>	1,029	3296	NA
<u>MediaTek MT8168A</u>	670	3692	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Mediatek MT8786V/N</u>	3,071	2059	NA
<u>Mediatek MT8788</u>	3,506	1888	NA
<u>Mediatek MT8789</u>	6,640	1250	NA
<u>Mediatek MT8789V/CT</u>	4,306	1679	NA
<u>Mediatek MT8789V/T</u>	4,205	1704	NA
<u>Mediatek MT8797Z/CNZA</u>	7,011	1186	NA
<u>Microsoft ARM SQ1 @ 3.0 GHz</u>	5,424	1472	NA
<u>Microsoft SQ2 @ 3.15 GHz</u>	5,872	1387	NA
<u>Mobile AMD Athlon 4 2400+</u>	233	4201	NA
<u>Mobile AMD Athlon 64 3200+</u>	326	4064	NA
<u>Mobile AMD Athlon 64 3400+</u>	333	4056	NA
<u>Mobile AMD Athlon 64 3700+</u>	356	4021	NA
<u>Mobile AMD Athlon 64 4000+</u>	313	4083	NA
<u>Mobile AMD Athlon 2500+</u>	241	4182	NA
<u>Mobile AMD Athlon MP-M 1800+</u>	173	4291	NA
<u>Mobile AMD Athlon MP-M 2400+</u>	192	4260	NA
<u>Mobile AMD Athlon XP-M 1600+</u>	169	4294	NA
<u>Mobile AMD Athlon XP-M 1800+</u>	193	4257	NA
<u>Mobile AMD Athlon XP-M 2000+</u>	196	4250	NA
<u>Mobile AMD Athlon XP-M 2200+</u>	237	4194	NA
<u>Mobile AMD Athlon XP-M 2400+</u>	225	4211	NA
<u>Mobile AMD Athlon XP-M 2500+</u>	226	4210	NA
<u>Mobile AMD Athlon XP-M 2600+</u>	241	4181	NA
<u>Mobile AMD Athlon XP-M 2800+</u>	238	4191	NA
<u>Mobile AMD Athlon XP-M 3000+</u>	238	4189	NA
<u>Mobile AMD Sempron 2100+</u>	164	4300	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Mobile Intel Celeron 1.80GHz</u>	121	4356	NA
<u>Mobile Intel Celeron 2.00GHz</u>	133	4342	NA
<u>Mobile Intel Celeron 2.20GHz</u>	147	4325	NA
<u>Mobile Intel Celeron 2.40GHz</u>	154	4317	NA
<u>Mobile Intel Celeron 1333MHz</u>	183	4276	NA
<u>Mobile Intel Pentium 4 2.66GHz</u>	182	4277	NA
<u>Mobile Intel Pentium 4 2.80GHz</u>	205	4235	NA
<u>Mobile Intel Pentium 4 3.06GHz</u>	220	4219	NA
<u>Mobile Intel Pentium 4 3.20GHz</u>	232	4204	NA
<u>Mobile Intel Pentium 4 3.33GHz</u>	344	4033	NA
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	121	4355	0.89
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	119	4358	NA
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	138	4337	NA
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	143	4328	NA
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	139	4333	NA
<u>Mobile Intel Pentium III - M 933MHz</u>	130	4346	NA
<u>Mobile Intel Pentium III - M 1200MHz</u>	146	4326	NA
<u>mocha</u>	1,125	3199	NA
<u>msm8960dt</u>	252	4166	NA
<u>MT3561S</u>	723	3623	NA
<u>MT5893</u>	702	3651	NA
<u>MT6592</u>	521	3853	NA
<u>MT6592T</u>	1,056	3274	NA
<u>MT6735M</u>	308	4088	NA
<u>MT6735P</u>	326	4065	NA
<u>MT6738</u>	692	3658	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>MT6755V/BM</u>	1,219	3114	NA
<u>MT6755V/W</u>	1,640	2804	NA
<u>MT6755V/WM</u>	1,090	3234	NA
<u>MT6755V/WS</u>	1,389	2982	NA
<u>MT6757W</u>	1,904	2640	NA
<u>MT6757WD</u>	1,771	2724	NA
<u>MT6757WH</u>	1,161	3167	NA
<u>MT6761V/CAB</u>	815	3513	NA
<u>MT6761V/CBB</u>	910	3419	NA
<u>MT6761V/CD</u>	784	3552	NA
<u>MT6761V/WAB</u>	816	3512	NA
<u>MT6761V/WD</u>	580	3788	NA
<u>MT6762</u>	1,735	2742	NA
<u>mt6762m</u>	538	3835	NA
<u>MT6762V/CR</u>	1,194	3137	NA
<u>MT6763V/B</u>	1,544	2871	NA
<u>MT6763V/CT</u>	1,690	2771	NA
<u>MT6763V/WT</u>	1,375	2993	NA
<u>MT6765</u>	1,842	2681	NA
<u>MT6765H</u>	2,132	2511	NA
<u>MT6765V/WA</u>	1,729	2749	NA
<u>MT6765V/WB</u>	1,863	2667	NA
<u>MT6768G</u>	2,838	2150	NA
<u>MT6769H</u>	2,684	2213	NA
<u>MT6769V</u>	2,229	2462	NA
<u>MT6769V/CT</u>	2,474	2307	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>MT6797M</u>	2,035	2557	NA
<u>MT6833</u>	3,784	1813	NA
<u>MT6833P</u>	4,158	1718	NA
<u>MT6833V/NZA</u>	3,635	1857	NA
<u>MT6833V/PNZA</u>	4,164	1714	NA
<u>MT6833V/ZA</u>	4,078	1739	NA
<u>MT6853V/NZA</u>	3,314	1957	NA
<u>MT6853V/TNZA</u>	3,616	1861	NA
<u>MT6853V/ZA</u>	3,577	1872	NA
<u>MT6875</u>	4,393	1661	NA
<u>MT6877T</u>	4,548	1625	NA
<u>MT6877V/TTZA</u>	5,253	1509	NA
<u>MT6877V/TZA</u>	4,871	1570	NA
<u>MT6877V/ZA</u>	4,787	1582	NA
<u>MT6883Z/CZA</u>	5,665	1422	NA
<u>MT6889Z/CZA</u>	4,504	1635	NA
<u>MT6891</u>	5,791	1399	NA
<u>MT6891Z/CZA</u>	6,025	1369	NA
<u>MT6893</u>	5,102	1533	NA
<u>MT6893Z/CZA</u>	6,467	1275	NA
<u>MT6893Z_A/CZA</u>	6,043	1363	NA
<u>MT6893Z_B/CZA</u>	6,371	1296	NA
<u>MT6893Z_C/CZA</u>	6,139	1342	NA
<u>MT6893Z_D/CZA</u>	5,701	1415	NA
<u>MT6893Z_Z/CZA</u>	6,485	1273	NA
<u>MT6969T</u>	2,228	2463	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>MT8188JV/A</u>	5,209	1521	NA
<u>MT8195AV/ZA</u>	5,735	1406	NA
<u>MT8365</u>	889	3438	NA
<u>MT8395AV/ZA</u>	2,410	2345	NA
<u>MT8667</u>	3,230	1993	NA
<u>MT8696</u>	738	3601	NA
<u>MT8732T</u>	1,081	3245	NA
<u>MT8735</u>	495	3882	NA
<u>MT8735A</u>	731	3614	NA
<u>MT8735M</u>	358	4018	NA
<u>MT8735P</u>	405	3968	NA
<u>MT8735T</u>	704	3645	NA
<u>MT8765WA</u>	552	3819	NA
<u>MT8765WB</u>	419	3950	NA
<u>MT8766A</u>	935	3403	NA
<u>MT8766B</u>	818	3509	NA
<u>MT8768WB</u>	1,074	3252	NA
<u>MT8768WD</u>	1,122	3203	NA
<u>MT8768WE</u>	1,314	3032	NA
<u>MT8771V/PZA</u>	4,723	1592	NA
<u>MT8783</u>	1,039	3288	NA
<u>MT8786V/CA</u>	3,093	2047	NA
<u>MT8786V/N</u>	2,992	2094	NA
<u>MT8788</u>	2,726	2194	NA
<u>MT8789V/CT</u>	4,060	1744	NA
<u>MT8789V/T</u>	4,102	1732	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	932	3406	NA
<u>QCT APQ8064 AWIFI</u>	382	4001	NA
<u>QCT APQ8064 DEB</u>	453	3920	NA
<u>QCT APQ8064 FLO</u>	497	3879	NA
<u>QCT APQ8064 MAKO</u>	399	3977	NA
<u>QCT APQ8064 MTP</u>	389	3993	NA
<u>QTI QCM4290</u>	3,225	1996	NA
<u>QTI SDM450</u>	1,182	3153	NA
<u>QTI SDM660</u>	2,159	2498	NA
<u>QTI SM4350</u>	3,836	1797	NA
<u>QTI SM4375</u>	4,001	1763	NA
<u>QTI SM6115</u>	2,763	2181	NA
<u>QTI SM6150</u>	3,233	1991	NA
<u>QTI SM6225</u>	3,589	1867	NA
<u>QTI SM6350</u>	4,197	1708	NA
<u>QTI SM6375</u>	4,156	1720	NA
<u>QTI SM6450</u>	6,212	1326	NA
<u>QTI SM7125</u>	3,786	1812	NA
<u>QTI SM7150</u>	3,725	1834	NA
<u>QTI SM7225</u>	4,506	1634	NA
<u>QTI SM7250</u>	4,435	1647	NA
<u>QTI SM7325</u>	5,721	1409	NA
<u>QTI SM7350</u>	5,184	1523	NA
<u>QTI SM7450</u>	4,254	1693	NA
<u>QTI SM7475</u>	7,651	1099	NA
<u>QTI SM8150</u>	5,084	1541	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Qualcomm MSM8626</u>	294	4106	NA
<u>Qualcomm MSM8916</u>	424	3945	NA
<u>Qualcomm MSM8917</u>	650	3710	NA
<u>Qualcomm MSM8926</u>	300	4097	NA
<u>Qualcomm MSM8928</u>	337	4047	NA
<u>Qualcomm MSM8937</u>	1,020	3304	NA
<u>Qualcomm MSM8939</u>	1,105	3224	NA
<u>Qualcomm MSM8953</u>	1,589	2834	NA
<u>Qualcomm MSM8974</u>	705	3644	NA
<u>Qualcomm MSM8974PRO-AA</u>	672	3687	NA
<u>Qualcomm MSM8974PRO-AB</u>	665	3698	NA
<u>Qualcomm MSM8974PRO-AC</u>	631	3727	NA
<u>Qualcomm MSM8992</u>	1,255	3080	NA
<u>Qualcomm MSM8994</u>	754	3585	NA
<u>Qualcomm MSM8996</u>	1,322	3027	NA
<u>Qualcomm MSM8996PRO-AB</u>	1,638	2806	NA
<u>Qualcomm MSM8998</u>	3,660	1850	NA
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,088	3238	NA
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,065	3267	NA
<u>Qualcomm MSM 8939 HUAWEI TEXAS-A1</u>	1,085	3242	NA
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</u>	566	3804	NA
<u>Qualcomm SC7180P</u>	4,558	1622	NA
<u>Qualcomm SDM450</u>	2,940	2118	NA
<u>Qualcomm SDM660</u>	2,300	2418	NA
<u>Qualcomm SDM670</u>	3,295	1970	NA
<u>Qualcomm SDM845</u>	4,034	1755	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Qualcomm Technologies, Inc</u>	3,935	1771	NA
<u>Qualcomm Technologies, Inc 450</u>	1,978	2591	NA
<u>Qualcomm Technologies, Inc APQ8009</u>	321	4070	NA
<u>Qualcomm Technologies, Inc APQ8016</u>	383	3999	NA
<u>Qualcomm Technologies, Inc APQ8017</u>	493	3884	NA
<u>Qualcomm Technologies, Inc APQ8053</u>	2,039	2556	NA
<u>Qualcomm Technologies, Inc APQ8076</u>	1,673	2780	NA
<u>Qualcomm Technologies, Inc APQ8094</u>	1,818	2689	NA
<u>Qualcomm Technologies, Inc APQ8096</u>	1,697	2767	NA
<u>Qualcomm Technologies, Inc APQ8096pro</u>	730	3615	NA
<u>Qualcomm Technologies, Inc ATOLL-AB</u>	3,488	1893	NA
<u>Qualcomm Technologies, Inc BENGAL</u>	2,419	2338	NA
<u>Qualcomm Technologies, Inc BENGAL-IOT</u>	1,912	2632	NA
<u>Qualcomm Technologies, Inc BENGALP</u>	2,547	2275	NA
<u>Qualcomm Technologies, Inc BENGALP-IOT</u>	3,084	2053	NA
<u>Qualcomm Technologies, Inc KHAJE</u>	3,400	1925	NA
<u>Qualcomm Technologies, Inc KONA</u>	5,645	1427	NA
<u>Qualcomm Technologies, Inc KONA-IOT</u>	6,282	1313	NA
<u>Qualcomm Technologies, Inc LAGOON</u>	3,350	1946	NA
<u>Qualcomm Technologies, Inc LITO</u>	3,310	1961	NA
<u>Qualcomm Technologies, Inc MSM8216</u>	292	4111	NA
<u>Qualcomm Technologies, Inc MSM8909</u>	276	4133	NA
<u>Qualcomm Technologies, Inc MSM8916</u>	391	3992	NA
<u>Qualcomm Technologies, Inc MSM8917</u>	510	3866	NA
<u>Qualcomm Technologies, Inc MSM8920</u>	471	3904	NA
<u>Qualcomm Technologies, Inc MSM8929</u>	560	3816	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Qualcomm Technologies, Inc MSM8998</u>	2,767	2177	NA
<u>Qualcomm Technologies, Inc QCM2150</u>	409	3963	NA
<u>Qualcomm Technologies, Inc QCM6125</u>	2,775	2175	NA
<u>Qualcomm Technologies, Inc QCS610</u>	1,949	2608	NA
<u>Qualcomm Technologies, Inc QM215</u>	455	3918	NA
<u>Qualcomm Technologies, Inc SA8195P</u>	6,554	1259	NA
<u>Qualcomm Technologies, Inc SCUBAIIOT</u>	759	3580	NA
<u>Qualcomm Technologies, Inc SCUBAPIIOT</u>	1,123	3202	NA
<u>Qualcomm Technologies, Inc SDA429W</u>	715	3629	NA
<u>Qualcomm Technologies, Inc SDA450</u>	1,492	2912	NA
<u>Qualcomm Technologies, Inc SDA660</u>	2,555	2272	NA
<u>Qualcomm Technologies, Inc SDM429</u>	977	3356	NA
<u>Qualcomm Technologies, Inc SDM439</u>	1,442	2945	NA
<u>Qualcomm Technologies, Inc SDM450</u>	1,314	3033	NA
<u>Qualcomm Technologies, Inc SDM460</u>	1,963	2598	NA
<u>Qualcomm Technologies, Inc SDM630</u>	1,883	2655	NA
<u>Qualcomm Technologies, Inc SDM632</u>	2,049	2553	NA
<u>Qualcomm Technologies, Inc SDM636</u>	2,147	2507	NA
<u>Qualcomm Technologies, Inc SDM660</u>	2,386	2357	NA
<u>Qualcomm Technologies, Inc SDM662</u>	2,237	2456	NA
<u>Qualcomm Technologies, Inc SDM665</u>	2,350	2379	NA
<u>Qualcomm Technologies, Inc SDM670</u>	2,506	2293	NA
<u>Qualcomm Technologies, Inc SDM710</u>	2,617	2238	NA
<u>Qualcomm Technologies, Inc SDM712</u>	2,506	2294	NA
<u>Qualcomm Technologies, Inc SDM720G</u>	3,275	1977	NA
<u>Qualcomm Technologies, Inc SDM730G AIE</u>	3,301	1967	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Qualcomm Technologies, Inc SM6375</u>	4,255	1691	NA
<u>Qualcomm Technologies, Inc SM7125</u>	3,333	1950	NA
<u>Qualcomm Technologies, Inc SM7150</u>	3,249	1986	NA
<u>Qualcomm Technologies, Inc SM7225</u>	3,390	1932	NA
<u>Qualcomm Technologies, Inc SM7250</u>	3,459	1904	NA
<u>Qualcomm Technologies, Inc SM7325</u>	6,431	1286	NA
<u>Qualcomm Technologies, Inc SM8150</u>	4,567	1619	NA
<u>Qualcomm Technologies, Inc SM8150_Plus</u>	4,222	1701	NA
<u>Qualcomm Technologies, Inc SM8150P</u>	4,472	1642	NA
<u>Qualcomm Technologies, Inc SM8250</u>	5,840	1392	NA
<u>Qualcomm Technologies, Inc SM8250_AC</u>	6,408	1291	NA
<u>Qualcomm Technologies, Inc SM8350</u>	6,112	1346	NA
<u>Qualcomm Technologies, Inc SM8350AC</u>	6,588	1254	NA
<u>Qualcomm Technologies, Inc TRINKET</u>	2,406	2347	NA
<u>Qualcomm Technologies, Inc TRINKET-IOT</u>	3,230	1994	NA
<u>Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</u>	1,426	2956	NA
<u>redwood based Qualcomm Technologies, Inc. SM7325</u>	6,448	1283	NA
<u>Renoir based on Qualcomm Technologies, Inc SM7350</u>	4,842	1576	NA
<u>RK30board</u>	198	4245	NA
<u>rk3566</u>	595	3766	NA
<u>ROC-RK3568-PC HDMI (Android)</u>	1,197	3135	NA
<u>Rockchip (Device Tree)</u>	637	3723	NA
<u>Rockchip RK</u>	1,246	3089	NA
<u>Rockchip RK3229</u>	234	4199	NA
<u>Rockchip RK3288</u>	708	3640	NA
<u>Rockchip RK3288 (Flattened Device Tree)</u>	508	3868	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Rockchip RK3566 EVB1 DDR4 V10 Board</u>	751	3588	NA
<u>Rockchip RK3566 EVB2 LP4X V10 Board</u>	938	3398	NA
<u>Rockchip RK3566 EVB3 DDR3 V10 Board</u>	1,003	3329	NA
<u>Rockchip RK3566 RK817 TABLET LP4X Board</u>	987	3346	NA
<u>Rockchip RK3566 RK817 TABLET RKG11 LP4 Board</u>	686	3669	NA
<u>Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</u>	795	3539	NA
<u>Rockchip RK3568 EVB1 DDR4 V10 Board</u>	1,065	3265	NA
<u>Rockchip RK3568 EVB2 LP4X V10 Board</u>	895	3431	NA
<u>Rockchip RK3588</u>	4,283	1683	NA
<u>rockchip,rk3328</u>	761	3577	NA
<u>rockchip,rk3368</u>	870	3453	NA
<u>Samsung A04S EUR OPEN REV03C board based on EXYNOS</u>	2,452	2320	NA
<u>Samsung A13 EUR OPEN REV02B board based on EXYNOS8</u>	1,230	3100	NA
<u>Samsung A13 USA SINGLE REV02B board based on EXYNO</u>	1,528	2883	NA
<u>Samsung Exynos</u>	2,423	2336	NA
<u>Samsung EXYNOS5420</u>	663	3699	NA
<u>Samsung EXYNOS5433</u>	1,136	3194	NA
<u>SAMSUNG Exynos7420</u>	1,999	2579	NA
<u>SAMSUNG Exynos7580</u>	863	3460	NA
<u>Samsung Exynos7870</u>	2,093	2525	NA
<u>Samsung Exynos 850</u>	2,194	2477	NA
<u>Samsung Exynos 980</u>	4,591	1615	NA
<u>Samsung Exynos 990</u>	6,149	1341	NA
<u>Samsung Exynos 2100</u>	5,372	1483	NA
<u>Samsung Exynos 7420</u>	1,612	2817	NA
<u>Samsung Exynos 7570</u>	439	3928	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Samsung Exynos 9820</u>	3,823	1799	NA
<u>Samsung Exynos 9825</u>	3,734	1830	NA
<u>Samsung GrandPrimePlus LTE CIS rev04 board based o</u>	312	4084	NA
<u>Samsung GrandPrimePlus LTE LTN DTV rev04 board bas</u>	599	3759	NA
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415	3956	NA
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	930	3407	NA
<u>SAMSUNG JF</u>	516	3858	NA
<u>Samsung M13 EUR OPEN REV02 board based on EXYNOS85</u>	1,425	2957	NA
<u>Samsung M13 SWA INS 00 board based on EXYNOS850</u>	1,269	3067	NA
<u>Samsung s5e8535</u>	3,941	1770	NA
<u>Samsung s5e8825</u>	4,635	1609	NA
<u>Samsung s5e8835</u>	6,055	1359	NA
<u>Samsung s5e9925</u>	6,456	1279	NA
<u>SAMSUNG SERRANO</u>	239	4188	NA
<u>Samsung Technologies, Inc Exynos E1080</u>	4,846	1574	NA
<u>SM6375</u>	4,441	1644	NA
<u>SM7325</u>	6,230	1324	NA
<u>SM8325</u>	5,256	1508	NA
<u>SM8350</u>	6,131	1343	NA
<u>SM8450</u>	4,896	1567	NA
<u>SMDK4x12</u>	3,006	2084	NA
<u>Snapdragon 7c @ 1.96 GHz</u>	3,712	1838	NA
<u>Snapdragon 7c @ 2.40 GHz</u>	3,269	1980	NA
<u>Snapdragon 7c Gen 2 @ 2.55 GHz</u>	3,767	1815	NA
<u>Snapdragon 8 Gen2 Mobile Platform for Galaxy.</u>	9,362	945	NA
<u>Snapdragon 8c @ 2.46 GHz</u>	5,230	1517	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Sony Mobile fusion3</u>	428	3940	NA
<u>Spreadtrum SC7731e</u>	294	4105	NA
<u>Spreadtrum SC9832E</u>	543	3832	NA
<u>Spreadtrum SC9853I-IA</u>	748	3591	NA
<u>Spreadtrum SC9863A</u>	1,528	2884	NA
<u>Spreadtrum SC9863A Board</u>	1,607	2820	NA
<u>Spreadtrum T310</u>	1,585	2835	NA
<u>Spreadtrum T606</u>	2,653	2228	NA
<u>Spreadtrum T612</u>	3,042	2071	NA
<u>Spreadtrum T616</u>	2,948	2113	NA
<u>Spreadtrum T618</u>	3,042	2072	NA
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	5,241	1511	NA
<u>sun50iw6</u>	511	3865	NA
<u>Synaptics VS640</u>	862	3462	NA
<u>T606</u>	2,824	2160	NA
<u>T610-Unisoc</u>	2,522	2286	NA
<u>T610S-Unisoc</u>	2,781	2170	NA
<u>T618</u>	2,752	2186	NA
<u>T700-Unisoc</u>	2,337	2392	NA
<u>taoyao based Qualcomm Technologies, Inc. Yupik IDP</u>	6,359	1298	NA
<u>Thor</u>	839	3489	NA
<u>tn8</u>	1,020	3305	NA
<u>UGOOS UT8 Board</u>	894	3434	NA
<u>UIS7862A</u>	2,433	2330	NA
<u>Unisoc SC7731e</u>	340	4042	NA
<u>Unisoc SC9832e</u>	495	3883	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>Unisoc ums312</u>	887	3439	NA
<u>Unisoc ums512</u>	2,578	2263	NA
<u>Unisoc ums9230</u>	2,347	2384	NA
<u>Unisoc ums9230H</u>	2,908	2132	NA
<u>Unisoc ums9230T</u>	2,835	2152	NA
<u>UNIVERSAL3475</u>	301	4095	NA
<u>vendor Kirin710</u>	2,840	2148	NA
<u>vendor Kirin810</u>	4,201	1706	NA
<u>vendor Kirin820</u>	4,788	1581	NA
<u>vendor Kirin970</u>	3,179	2018	NA
<u>vendor Kirin980</u>	5,344	1486	NA
<u>vendor Kirin985</u>	5,417	1475	NA
<u>vendor Kirin990</u>	5,995	1373	NA
<u>vendor Kirin9000</u>	6,914	1210	NA
<u>vendor Kirin9000E</u>	7,141	1170	NA
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	5,398	1477	NA
<u>VIA C7-D 1800MHz</u>	150	4322	NA
<u>VIA C7-M 1200MHz</u>	112	4367	NA
<u>VIA C7-M 1600MHz</u>	116	4362	NA
<u>VIA C7-M 6300MHz</u>	145	4327	NA
<u>VIA Eden 1000MHz</u>	80	4383	NA
<u>VIA Eden 1200MHz</u>	93	4377	NA
<u>VIA Eden C1050@1.06GHz</u>	263	4154	NA
<u>VIA Eden X2 U4200 @ 1.0+ GHz</u>	327	4062	NA
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	904	3424	NA
<u>VIA Esther 1000MHz</u>	95	4376	NA

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is bet
<u>VIA QuadCore L4700 @ 1.2+ GHz</u>	773	3563	NA
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	666	3696	NA
<u>Vili based on Qualcomm Technologies, Inc SM8350</u>	5,299	1498	NA
<u>Virtual @ 2.00GHz</u>	2,709	2202	NA
<u>Virtual @ 2.40GHz</u>	3,461	1902	NA
<u>Virtual @ 2.41GHz</u>	3,188	2012	NA
<u>Virtual @ 2.55GHz</u>	2,393	2352	NA
<u>Virtual @ 2.74GHz</u>	2,248	2447	NA
<u>Virtual @ 2.99GHz</u>	5,702	1413	NA
<u>Virtual @ 3.14GHz</u>	3,720	1836	NA
<u>Z3-6540M@2.1GHz</u>	1,599	2828	NA
<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,561	2852	NA
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,227	1995	NA
<u>ZHAOXIN KaiXian KX-U6780@2.7GHz</u>	3,693	1842	NA
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,913	1779	NA
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547	2869	NA
<u>ZHAOXIN KaiXian ZX-D D4600@2.0GHz</u>	1,492	2913	NA
<u>天玑900</u>	4,259	1689	NA